

Leitz iLAM Home Office A4 Laminator

Gamintojas: **LEITZ** · Modelis: **73680089** · EAN: **4002432112968** · Prekės kodas: **635916**



71,90 €

Kaina su PVM

Be PVM: **59,42 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ready to use in just 2 minutes with a quick warm-up time.
- ✓ Laminates an 80-micron A4 document in approximately 45 seconds.
- ✓ SMART status LED: glows red during warm-up and turns green with an acoustic signal when the laminator is ready to use.
- ✓ The jam release lever lets you manually remove misfed or jammed pouches with ease.
- ✓ Compatible with pouches ranging from 75 to 125 microns.
- ✓ Reduce energy consumption with the 15-minute auto shut-off feature. Sensors automatically detect inactivity and power down the machine to save energy.
- ✓ Includes a starter kit of 5x A4 pouches (80 microns).
- ✓ CE certified, TUV/GS
- ✓ Recommended for use with Leitz UDT Pouches.



Aprašymas

Stylish and compact, the Leitz iLAM Home Office laminating machine seamlessly blends modern design with functionality. Designed for convenience, this A4 laminator features a quick 2-minute warm-up time and can laminate an 80-micron A4 sheet in just 45 seconds. Its user-friendly rocker switch lets you select from three pouch thickness levels, ensuring versatile use for all your laminating needs. The anti-jam release lever guarantees smooth operation by effortlessly resolving any misfed or jammed pouches. The innovative smart status LED enhances ease of use with intuitive lights and sounds: red during warm-up, green with an audible alert when ready, and flashing red for auto shut-off after 15 minutes of inactivity. Protect your documents quickly, efficiently, and in style. Silver and white colour.

Techninė specifikacija

Specifications	
Sandėlio grupė	Büro-Ausstattung [+502][-129]
Features	
Maximum lamination width	24 cm
Type	Hot laminator
Preheating time	3 min
Lamination speed	400 mm/min
Maximum document thickness	0.5 mm
Built-in display	No
Format	A4
Maximum film thickness	100 µm
Minimum pouch thickness	75 µm
Maximum pouch thickness	125 µm
Lamination system	Pouch
Laminating time	45 s
Number of rollers	2
Warm-up time	2 min
Temperature (max)	130 °C
Product colour	Grey, White
Housing material	Acrylonitrile butadiene styrene (ABS)
Indication light	Yes
Ready indicator	Yes
Certification	GS, TUV, CE
Power	
Power consumption (typical)	600 W
AC input voltage	220-240 V
AC input frequency	50/60 Hz
Weight & dimensions	
Width	379 mm
Depth	131 mm
Height	94.5 mm
Weight	1.37 kg
Packaging data	

Package width	230 mm
---------------	--------

Package depth	465 mm
---------------	--------

Package height	350 mm
----------------	--------

Package weight	1.84 kg
----------------	---------

Logistics data

Customs product code (TARIC)	84729080
------------------------------	----------

Other features

Country of origin	China
-------------------	-------

Matmenys ir svoris

Svoris	2,06kg
--------	--------