

Motorola LS2208 Laser Black

Gamintojas: **ZEBRA** · Modelis: **LS2208-7AZU0100ZR** · EAN: **5052179230585** · Prekės kodas: **637659**



72,90 €

Kaina su PVM

Be PVM: **60,25 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Black
- ✓ Sensor type: Laser
- ✓ Tilt reading angle: -30 - 30°
- ✓ Standard interfaces: USB

Aprašymas

The affordable LS2208 handheld bar code scanner provides fast, reliable scanning in an ergonomic, lightweight form. The wide working range —from near-contact to 17 inches — makes this device ideal for retail, hospital, education or government settings. Multiple on-board interfaces ensure integration with a variety of host systems

Durable, single-board construction

Meets stringent 5-ft drop tests.

Scratch-resistant tempered glass exit window

Is designed for continuous use.

Accurate first-time capture of 1D bar codes

Increased productivity, resulting in shorter check-out lines and better customer service.

Wide working range

Delivers optimal performance from contact to 17 in (43 cm).

Multiple on-board interfaces

Simplify installation and integration and ensures future compatibility.

Plug-and-play, with universal cable

Means rapid deployment, with a single cable connecting to any computing environment.

Intuitive design

Minimizes setup and training time.

Ergonomic, lightweight design

Reduces user fatigue with sleek, balanced form for maximum comfort and productivity.

Hands-free Intellistand

Enables presentation scanning and easy switching between hands-free and handheld modes.

Advanced Data Formatting (ADF)

Enables users to modify data prior to sending to host computer, reducing costly modifications to the host software.

Techninė specifikacija

Specifications	
Sandėlio grupė	Scanner [+571][−31]
Scanning	
Sensor type	Laser
Read rate (max)	100 reads/s
Wavelength	650 nm
Tilt reading angle	−30 - 30°
Pitch reading angle	−65 - 65°
Yaw reading angle	−60 - 60°
Ports & interfaces	
Standard interfaces	USB
Performance	
Product colour	Black
Power	
Input voltage	5 V
Power consumption	130 mA
Weight & dimensions	
Weight	146 g
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	−40 - 70 °C
Operating relative humidity (H-H)	5 - 95%
Logistics data	

Harmonized System (HS) code	84716070
-----------------------------	----------

Matmenys ir svoris

Svoris	0,32kg
--------	--------