

Zebra DS8178-HC Handheld bar code reader 1D/2D LED White

Gamintojas: **ZEBRA** · Modelis: **DS8178-HCBU210MP5W** · EAN: **5706998265173** · Prekės kodas: **638060**

721,90 €

Kaina su PVM

Be PVM: **596,61 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Handheld bar code reader White
- ✓ Scanner type: 1D/2D Sensor type: LED
- ✓ Codabar, Code 11, Code 128, Code 39, Code 93, GS1 DataBar Expanded, Interleaved 2 of 5, MSI, Plessey, U.P.C. Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
- ✓ Tilt reading angle: 0 - 360°
- ✓ Wired & Wireless Standard interfaces: RS-232, USB, Keyboard wedge
- ✓ Bluetooth Low Energy (BLE)
- ✓ Power source type: Battery Lithium-Ion (Li-Ion) 2500 mAh

Aprašymas

Zebra DS8178-HC. Typ: Tragbares Barcodelesegerät, Scanner-Typ: 1D/2D, Sensor-Typ: LED. Übertragungstechnik: Verkabelt & Kabellos, Standard-Schnittstellen: RS-232, USB, Tastaturkeil, Kabellose Reichweite: 100 m. Produktfarbe: Weiß, Internationale Schutzart (IP-Code): IP42. Energiequelle: Batterie, Akku-/Batterietyp: Integrierte Batterie, Batteriereichweite: 83 h. Gewicht: 235 g, Breite: 66 mm, Tiefe: 107 mm

Techninė specifikacija

Specifications

Sandėlio grupė Scanner [+571][-31]

Scanning

Type Handheld bar code reader

Scanner type 1D/2D

Sensor type	LED
Linear (1D) barcodes supported	Codabar, Code 11, Code 128, Code 39, Code 93, GS1 DataBar Expanded, Interleaved 2 of 5, MSI, Plessey, U.P.C.
2D (matrix & stacked) barcodes supported	Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
Wavelength	528 nm
Tilt reading angle	0 - 360°
Pitch reading angle	0 - 60°
Yaw reading angle	0 - 60°
Ports & interfaces	
Connectivity technology	Wired & Wireless
Standard interfaces	RS-232, USB, Keyboard wedge
Wireless range	100 m
Bluetooth version	4
Bluetooth Low Energy (BLE)	Yes
PC connection	RS-232/USB
Performance	
Product colour	White
International Protection (IP) code	IP42
Power	
Power source type	Battery
Battery technology	Lithium-Ion (Li-Ion)
Battery type	Built-in battery
Number of batteries supported	1
Battery capacity	2500 mAh
Number of reads per charge	65000
Battery life	83 h
Input voltage	5 V
Weight & dimensions	
Weight	235 g
Width	66 mm
Depth	107 mm
Height	168 mm
Operational conditions	
Operating temperature (T-T)	0 - 50 °C

Storage temperature (T-T)	-40 - 70 °C
---------------------------	-------------

Operating relative humidity (H-H)	5 - 95%
-----------------------------------	---------

Logistics data

Harmonized System (HS) code	84716070
-----------------------------	----------