

iiyama G-MASTER G4380UHSU-B2 computer monitor 108 cm (42.5") 3840 x 2160 pixels 4K Ultra HD LED Black

Gamintojas: IIYAMA · Modelis: G4380UHSU-B2 · EAN: 4948570125630 · Prekės kodas: 638494



757,90 €

Kaina su PVM

Be PVM: 626,36 €

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 108 cm (42.5") Black
- ✓ Built-in speaker(s)
- ✓ USB upstream port type: USB Type-C HDMI HDMI version: 2.1 DisplayPorts quantity: 2 DisplayPort version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 144 Hz Response time (MPRT): 0.3 ms
- ✓ 3840 x 2160 pixels 4K Ultra HD Panel type: VA
- ✓ Energy efficiency class (SDR): E ErP CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE



Aprašymas

Step into gaming with the G-Master G4380UHSU. Its 43" screen and UHD resolution (3840x2160) deliver sharp, detailed visuals, ideal for gamers seeking a clear, expansive view. Equipped with a fast 0.3ms MPRT response time and a 144Hz refresh rate, it ensures smooth, responsive gameplay with minimal motion blur or ghosting. The VA panel provides strong contrast and deep blacks, while the Black Tuner feature enhances visibility in darker areas of the screen - helping you spot opponents and stay in control. Whether you're competing in fast-paced titles or exploring richly detailed open worlds, this monitor combines image quality and speed to match your setup.

Techninė specifikacija

Specifications	
Sandėlio grupė	Monitore [+1534][-116]
Display	
Display diagonal	108 cm (42.5")
Display resolution	3840 x 2160 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	4K Ultra HD
Panel type	VA
Screen shape	Flat
Contrast ratio (typical)	4000:1
Maximum refresh rate	144 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	550 cd/m²
Response time (MPRT)	0.3 ms
Display surface	Matt
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.245 x 0.245 mm
Horizontal scan range	30 - 335 kHz
Viewable size, horizontal	94.1 cm
Viewable size, vertical	52.9 cm
Display diagonal (metric)	108 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 400
DDC/CI	Yes
Haze rate	2%
Colour depth	10 bit
NTSC coverage (typical)	85%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	Yes
AMD FreeSync refresh rate range	48 - 120 Hz

VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	14 W
Design	
Market positioning	Gaming
Product colour	Black
Feet colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of downstream ports	4
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	2
DisplayPort version	1.4
Headphone outputs	1
Headphone connectivity	3.5 mm
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	No
Panel mounting interface	200 x 100 mm

Cable management	Yes
Cable lock slot type	Kensington
Tilt adjustment	Yes
Tilt angle range	-2 - 10°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Portuguese, Russian
Number of OSD languages	11

Power

Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	47.8 kWh
Energy consumption (HDR) per 1000 hours	84.6 kWh
Power consumption (typical)	89 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 85%

Weight & dimensions

Width (with stand)	977.5 mm
Depth (with stand)	251 mm
Height (with stand)	621.5 mm
Weight (with stand)	14.8 kg
Weight (without stand)	13 kg

Packaging data

Package width	1071 mm
Package depth	240 mm
Package height	760 mm

Package weight	20 kg
USB cable length	1.8 m
Packaging content	
Stand included	Yes
Cables included	AC, USB, HDMI, DisplayPort
Remote control included	Yes
Quick start guide	Yes
DisplayPort cable length	1.8 m
HDMI cable length	1.8 m
Power cable length	1.8 m
Remote control batteries included	Yes
Sustainability	
Sustainability certificates	ErP
Other features	
Packaging content	quick start guide, safety guide
Weight	14.8 kg
Height	621.5 mm
Width	977.5 mm
Depth	251 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
User controls	picture adjust (contrast, brightness, OD, HDR, Adaptive Sync, ACR, night mode, blue light reducer, motion blue reducer, gamma), input select (input source), audio adjust (volume, mute), store user settings (user modes), colour settings (6-axis, colour temperature, user preset, black tuner), image adjust (i-Style Colour, x-res technology, sharpness, HDMI range, direct drive mode, video mode adjust), language, setup menu (OSD h. position, OSD v. position, OSD time, logo opening, power LED, DDC/CI control, USB charge, HDMI 2.1, DSC compression), display information, reset
Control panel	Power Indicator, Remote Sensor, Input Select Button, +/-Volume, +/-Shortcut Button, Menu, Power
Logistics data	
Harmonized System (HS) code	85285210
Matmenys ir svoris	
Matmenys (I × P × A)	25,00cm × 98,00cm × 62,00cm
Svoris	18,00kg