

Lenovo ThinkVision T24D-4t kompiuterio monitorius 60,5 cm (23.8") 1920 x 1080 pikseliai „Full HD“ LCD Lietimui jautrus ekranas Ant stalo Juoda

Gamintojas: **LENOVO** · Modelis: **64D2GAT2EU** · EAN: **199273359837** · Prekės kodas: **638684**



419,89 €

Kaina su PVM

Be PVM: **347,02 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60,5 cm (23.8") Juoda
- ✓ Aukščio reguliavimas 9 cm
- ✓ USB aukštakrypčio prievado tipas: C tipo USB HDMI HDMI versija: 2.1 „DisplayPort“ kiekis: 2 „DisplayPort“ versija: 1.4
- ✓ Ekranas forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 120 Hz Reakcijos laikas: 6 ms
- Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ ENERGY STAR, EPEAT Gold RoHS





Aprašymas

Interactive Performance, Made Simple

Intuitive Touch

Thinkvision's innovative 20-point multi-touch display technology enables smooth, responsive interaction, with glove support for diverse professional environments. The 4-sided ultra-thin bezel design supports edge-to-edge touch, making navigation, collaboration, and presentations feel more natural and intuitive.

Ergonomic Flexibility

The ergonomic stand offers extended tilt (-5° to 65°) and lift adjustment to support comfortable touch operation or traditional monitor use. With VESA mount compatibility, it adapts easily to varied workspace configurations and deployment requirements.

Seamless One-Cable Docking

Simplify your workspace with USB-C one-cable docking that delivers power (up to 100W*), data, and display simultaneously. The integrated USB hub keeps peripherals connected while reducing cable clutter for a cleaner, more efficient setup.

*The 100W (20V/5A) output rating is based on Lenovo proprietary VDM technology and requires compatible Lenovo systems. Actual power delivery may vary.

Expandable Screen Real Estate

Enhance multitasking with daisy-chaining capability via DisplayPort out port. Combined with the 4-sided ultra-thin bezel design, it creates a near-seamless multi-monitor experience for greater productivity.

Smart, Integrated Controls

Power on, shut down, or wake a docked Lenovo notebook directly from the monitor using the Mirrored Power Button—streamlining daily workflows with added convenience.

Flexible Modular Expansion

Upgrade collaboration with optional ThinkVision MC60 Modular Webcam and MS30 Soundbar support via the top-mounted USB-A port, enhancing video and audio performance with a clean, integrated setup.

Lenovo Display Fleet Manager (LDFM)

Enable IT administrators to remotely manage, monitor, and update display assets with centralized control. LDFM streamlines firmware upgrades, asset tracking, and configuration management to improve operational efficiency across deployments.

Lenovo Accessories and Display Manager (LADM)

Optimize display performance with intuitive software control through Lenovo ThinkColour.* Easily adjust settings, customize configurations, and enhance user experience across work scenarios with greater flexibility and precision.

*Formerly Lenovo Display Control Center. Supports Windows 10 & 11 and macOS (functionality may vary by system).

Sustainable by Design

Support your sustainability goals with a monitor designed to meet rigorous environmental standards, including 95% PCC, TCO 10, and ENERGY STAR® 8.0 certifications. Engineered with efficiency in mind, it helps reduce environmental impact without compromising performance.

Eco-Consconscious Packaging

ThinkVision packaging is made with 90% paper box and pulp cushion materials to minimize plastic usage and reduce packaging waste.

Techninė specifikacija

Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	Yes
HD type	Full HD
Panel type	IPS
Response time	6 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	120 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Touchscreen type	Table
Display brightness (typical)	350 cd/m²
Anti-glare screen	Yes
Contrast ratio (dynamic)	3000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	93 ppi
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
High Dynamic Range (HDR) supported	Yes

High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Colour depth	8 bit
sRGB coverage (typical)	99%
Response time (extreme)	4 ms
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Low Blue Light technology	Yes
Windows operating systems supported	Windows 10, Windows 11
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Business
Product colour	Black
Colour name	Raven black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
HDMI ports quantity	1
HDMI version	2.1
DisplayPorts quantity	2
DisplayPort out quantity	1
DisplayPort out version	1.4
DisplayPort version	1.4

Network

Ethernet LAN	Yes
--------------	-----

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	9 cm
Tilt adjustment	Yes
Tilt angle range	-5 - 65°

Power

Power consumption (typical)	15.5 W
Power consumption (standby)	0.5 W
Power consumption (max)	160 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal

Weight & dimensions

Width (with stand)	539.6 mm
Depth (with stand)	225.6 mm
Height (with stand)	439.1 mm
Weight (with stand)	5.7 kg
Width (without stand)	539.6 mm
Depth (without stand)	46.4 mm
Height (without stand)	317.9 mm
Weight (without stand)	3.6 kg
Bezel width (side)	2 mm
Bezel width (top)	2 mm
Bezel width (bottom)	2 mm

Packaging data

Package width	734 mm
Package depth	162 mm
Package height	422 mm

Package weight	8.7 kg
USB cable length	1.8 m
Packaging content	
Stand included	Yes
Cables included	DisplayPort, USB Type-C to USB Type-C, AC
Quick start guide	Yes
DisplayPort cable length	1.8 m
Power cable length	1.8 m
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT Gold
Other features	
RJ-45 ports quantity	1
Compliance certificates	RoHS
Ethernet LAN data rates	1000 Mbit/s
Ethernet LAN (RJ-45) ports	1
Certification	EU Energy Label (D-class) TCO Certified, generation 10 TCO Certified Edge 2.1
Matmenys ir svoris	
Matmenys (I × P × A)	73,00cm × 43,00cm × 16,00cm
Svoris	8,48kg

Energijos efektyvumas ir ekologinis projektavimas



15 kWh/1000h



2019/07/13

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Greitos pradžios vadovas
- › Gaminio lankstinukas
- › Vaizdo įrašas [objects.icecat.biz/objects/145886664_76794206.mp4](objects.icecat.biz/objects/145886664_76794206.mp4)

Gamintojo ir saugos informacija

GAMINTOJAS

Lenovo Group Limited

Courtyard Xibeiwang East Road Building 2, No.10,
100094 Beijing, CN

lenovo.com

ATSAKINGAS ASMUO ES

Lenovo France SAS

Rue des Deux Gares 20, 92500 Rueil-Malmaison,
FR

lenovo.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt