

Epson EcoTank Pro ET-5885 Inkjet A4 4800 x 2400 DPI 25 ppm Wi-Fi

Gamintojas: **EPSON** · Modelis: **C11CJ28405** · EAN: **8715946734644** · Prekės kodas: **639025**



1 583,90 €

Kaina su PVM

Be PVM: **1 309,01 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Home & office Inkjet Colour printing
- ✓ 4800 x 2400 DPI
- ✓ Printing colours: Black, Cyan, Yellow, Magenta
- ✓ A4 25 ppm
- ✓ Colour copying Colour scanning Colour faxing
- ✓ Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint
- ✓ Direct printing
- ✓ USB port Wi-Fi Ethernet LAN
- ✓ 17.8 kg

Aprašymas

Keep on saving

Save every time you print with this EcoTank. It features large ink tanks that you fill with low-cost ink bottles, delivering incredibly low costs-per-page. Thanks to Heat-Free PrecisionCore technology, you can also keep your energy consumption down to a minimum, saving on energy bills

Time-saving features

Our fastest A4 device in its class, the ET-5885 offers a first page out time of just 5.5 seconds* and print speeds up to 25 pages per minute. The automatic document feeder can scan up to 27.5 images per minute.

Low user intervention

Minimising refills, this EcoTank can print thousands of pages before needing more ink, while the two paper trays offer a capacity of 500-sheets. Free yourself from manual page loading with a generous 50-sheet rear feed and A4 ADF.

Easy to use and reliable

Selecting features is easy with the LCD colour touchscreen. And refilling the large front ink tanks is simple with the resealable, intuitive and drip-free ink bottles.

Print from almost anywhere

It's easy to print from mobiles, tablets and laptops using the ET-5885. With Wi-Fi and Wi-Fi Direct, you can send documents to print from smart devices using the Smart Panel app*. Also features Ethernet and PCL support.

Business-quality printing

The EcoTank 113 ink series features all pigment inks for smudge, water and highlighter resistant prints. One set of replacement inks can print up to 7,500 pages in black and 6,000 pages in colour*

Techninė specifikacija

Specifications

Sandėlio grupė	Multifunktionsdrucker [+256][-39]
----------------	-----------------------------------

Printing

Print technology	Inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	4800 x 2400 DPI
Print speed (black, normal quality, A4/US Letter)	25 ppm
Duplex printing mode	Auto
Print speed (colour, normal quality, A4/US Letter)	25 ppm
Duplex print speed (black, normal quality, A4/US Letter)	21 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	21 ppm
Time to first page (black, normal)	5.5 s
Time to first page (colour, normal)	6 s

Copying

Copying	Colour copying
Duplex copying	Yes
Duplex copying mode	Auto

Scanning

Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	2400 x 1200 DPI
Scanner type	Flatbed & ADF scanner
Duplex scanning mode	Auto
Scan technology	CIS
Scan to	Cloud
Image formats supported	BMP, JPEG, TIFF, PNG

Document formats supported	PDF
Fax	
Faxing	Colour faxing
Duplex faxing	Yes
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax memory	180 pages
Auto-redialing	Yes
Speed dialling	Yes
Fax forwarding	Yes
Error Correction Mode (ECM)	Yes
Features	
Duplex functions	Copy, Print, Scan
Number of print cartridges	4
Printing colours	Black, Cyan, Yellow, Magenta
Ink tank system	Yes
Page description languages	PCL 3, PCL 5c, PCL 6, PDF 1.7, PostScript 3
Printer fonts	PCL, PostScript
Input & output capacity	
Total number of input trays	3
Total input capacity	250 sheets
Total output capacity	125 sheets
Paper tray 1 input capacity	250 sheets
Paper tray 2 input capacity	250 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Maximum input capacity	550 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Envelopes, Plain paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
Non-ISO print media sizes	Legal, Letter
Envelopes sizes	10, C4, C6, DL

Paper tray media weight	64 - 300 g/m ²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP
Management protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping
Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint
Design	
Product colour	Black, White
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display diagonal	10.9 cm (4.3")
Control type	Touch
Colour display	Yes
Power	
Power consumption (average operating)	19 W
Power consumption (copying)	19 W
Power consumption (ready)	9.7 W
Power consumption (sleep)	0.8 W
Power consumption (off)	0.2 W
Energy Star Typical Electricity Consumption (TEC)	0.14 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2003 R2, Windows Server 2003

Weight & dimensions

Width	425 mm
Depth	500 mm
Height	350 mm
Weight	17.8 kg

Packaging content

Cartridge(s) included	Yes
Cables included	AC

Matmenys ir svoris

Svoris	21,00kg
--------	---------