

Plustek OpticFilm 8200i Ai Film/slide scanner 7200 x 7200 DPI Black

Gamintojas: **SONSTIGE** · Modelis: **0227** · EAN: **4042485365331** · Prekės kodas: **639201**



504,90 €

Kaina su PVM

Be PVM: **417,27 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scanner type: Film/slide scanner 7200 x 7200 DPI
- ✓ Colour scanning
- ✓ Scanning media types supported: Photo paper
- ✓ Maximum scan size: 36.8 x 25.4 mm Sensor type: CCD
- ✓ USB port
- ✓ Power supply type: DC



Aprašymas

Plustek OpticFilm 8200i Ai is a powerful scanner with 7200 dpi resolution. Its sharp optical system produces excellent detail in shadow areas and remarkable tonal range. A built-in infrared channel helps users remove dust and scratches on the original negatives and slides without additional post-processing. With the included IT 8 calibration slide, this powerful scanner consistently delivers accurate colors and detail.

The well-designed hardware features of the OpticFilm 8200i Ai combine perfectly with the professional scanner software SilverFast from LaserSoft Imaging. SilverFast Multi-Exposure® increases dynamic range, reduces noise and increases picture details. SilverFast iSRD® for dust and scratch removal can save images from dust and scratches and optimize images. SilverFast Auto IT8 Calibration® color calibrates the scanner device in just 2 minutes.

The Plustek OpticFilm 8200i Ai scanner is bundled with the newest version of LaserSoft Imaging's acclaimed scanner software - SilverFast 8. The WorkflowPilot® guides users through all scanning and processing steps. SilverFast 8's new graphical user interface reduces the learning curve, and

the preview mode allows users to immediately see the results of any adjustments made, even the results of complex functions. SilverFast 8 supports Multi-Tasking and the latest 64-bit hardware and is extremely fast and efficient.

The Plustek OpticFilm 8200i Ai gets professional quality results from any photographic original. It is used by professional photographers, amateur photographers, graphic designers, image enthusiasts, and those who highly demand image quality on photo enlargements.

Techninė specifikacija

Specifications	
Sandėlio grupė	Scanner [+632][-34]
Scanning	
Maximum scan size	36.8 x 25.4 mm
Optical scanning resolution	7200 x 7200 DPI
Colour scanning	Yes
Input colour depth	48 bit
Output greyscale depth	16 bit
Output monochrome depth	1 bit
Film scanning	Yes
Black/white scanning colour modes	Grayscale, Monochrome
Design	
Scanner type	Film/slide scanner
Built-in display	No
Product colour	Black
Performance	
Sensor type	CCD
Light source	LED
Paper handling	
Scanning media types supported	Photo paper
Ports & interfaces	
USB port	Yes
USB version	2
Power	
Power supply type	DC
Input voltage	15 V
Current	1 A
Weight & dimensions	

Width	120 mm
Depth	272 mm
Height	119 mm
Weight	1.6 kg
Packaging data	
Package width	210 mm
Package depth	430 mm
Package height	250 mm
Sustainability	
Sustainability certificates	ENERGY STAR
System requirements	
Windows operating systems supported	Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Matmenys ir svoris	
Matmenys (I × P × A)	37,00cm × 24,00cm × 20,00cm
Svoris	2,80kg