

Zyxel FWA515-EU0102F wireless router 2.5 Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) 5G White

Gamintojas: ZYXEL · Modelis: FWA515-EU0102F · EAN: 4718937650583 · Prekės kodas: 641124



348,90 €

Kaina su PVM

Be PVM: 288,35 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ A 5G NR with up to 7Gbps theoretical download rate and BE7200 WiFi 7 speeds up to 7.2 Gbps
- ✓ Remote Management via Nebula Cloud without additional fixed line
- ✓ Supports NebulaFlex: work in standalone or Nebula Cloud mode as needed
- ✓ 2.4/5GHz dual concurrent WiFi sharing to up to 64 devices
- ✓ Connection failover between both WAN interfaces, and full Gigabit Ethernet LAN ports

Aprašymas

Zyxel FWA515-EU0102F. WAN-Verbindungstyp: RJ-45. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 7 (802.11be), WLAN Datentransferrate (max.): 7200 Mbit/s. Schnittstellentyp Ethernet-LAN: 2.5 Gigabit Ethernet, Ethernet LAN Datentransferraten: 100,1000,2500 Mbit/s. Mobilfunknetzgenerierung: 5G, 4G-Standards: LTE-TDD & LTE-FDD, 5G-Standard: NR. Unterstützte Sicherheitsalgorithmen: WPA2-PSK, WPA3-SAE

Techninė specifikacija

Specifications

Sandėlio grupė Router [+431][[-28]

WAN connection

Ethernet WAN Yes

DSL WAN No

SIM card slot	Yes
3G/4G USB modem compatibility	No
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 7 (802.11be)
WLAN data transfer rate (max)	7200 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be)
Modulation	16-QAM, 64-QAM, 256-QAM, QPSK
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	2.5 Gigabit Ethernet
Ethernet LAN data rates	100,1000,2500 Mbit/s
Port forwarding	Yes
Static route	Yes
Mobile network	
Mobile network generation	5G
4G standard	LTE-TDD & LTE-FDD
5G standard	NR
SIM card type	NanoSIM
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2
USB port	Yes
USB 2.0 ports quantity	1
Management features	
Wi-Fi Multimedia (WMM)/(WME)	Yes
Reset button	Yes
WPS push button	Yes
MIMO	Yes
Cloud-managed	Yes
Security	
Security algorithms	WPA2-PSK, WPA3-SAE
Firewall	Yes
Stateful Packet Inspection (SPI)	Yes

DoS attack prevention	Yes
Filtering	Yes
MAC address filtering	Yes
IP address filtering	Yes
DMZ support	Yes
Protocols	
DHCP client	Yes
DHCP server	Yes
IPv4 & IPv6 features	Dual stack IPv4/IPv6
Design	
Product type	Tabletop router
Product colour	White
Housing material	Plastic
Indication light	Yes
LED indicators	LAN, Power, WLAN, WPS
On/off switch	Yes
Certificates	
Compliance certificates	CE, UKCA
Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	Yes
Warranty card	Yes
Sustainability	
Doesn't contain	Halogen
Antenna	
Antenna design	Internal
Antenna type	4x4
Antenna gain level (max)	7 dBi
Antenna direction type	Omni-directional
Features	
Number of simultaneously connected devices (max)	64
Power	
Power source type	USB
Power consumption (typical)	48 W

Power supply	45 W
--------------	------

Operational conditions

Operating temperature (T-T)	-10 - 40 °C
-----------------------------	-------------

Storage temperature (T-T)	-30 - 70 °C
---------------------------	-------------

Operating relative humidity (H-H)	0 - 90%
-----------------------------------	---------

Storage relative humidity (H-H)	0 - 95%
---------------------------------	---------

Weight & dimensions

Width	117 mm
-------	--------

Depth	130 mm
-------	--------

Height	217 mm
--------	--------

Weight	1.08 kg
--------	---------

Packaging data

Package width	126 mm
---------------	--------

Package depth	154 mm
---------------	--------

Package height	287 mm
----------------	--------

Package weight	1.65 kg
----------------	---------

Other features

USB connector type	USB Type-A, USB Type-C
--------------------	------------------------

Matmenys ir svoris

Matmenys (l × P × A)	15,00cm × 30,00cm × 13,00cm
----------------------	-----------------------------

Svoris	1,75kg
--------	--------