

Targus DOCK419 Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-C Grey

Gamintojas: **TARGUS** · Modelis: **DOCK419EUZ** · EAN: **5051794030334** · Prekės kodas: **641679**



63,90 €

Kaina su PVM

Be PVM: **52,81 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connect one external HDMI display (max resolution 4K@30Hz) or one VGA display (max resolution 1920x1200@60Hz)*
- ✓ Connect quickly and securely to the internet with the Gigabit Ethernet port
- ✓ Add 2 USB-A 3.2 Gen 1 ports (1 fast charging)** and 1 USB-C 3.2 Gen 1 port to your host
- ✓ Supports up to 5Gbps data transfer rate per USB-A or USB-C port
- ✓ Connect a USB-C device or power adapter to the USB-C port
- ✓ USB-C (3.2 Gen 1 SuperSpeed 5Gbps) port supports power delivery pass-through
- ✓ USB-C (3.2 Gen 1 SuperSpeed) connector supports power delivery up to 100W upstream and Power Delivery 3.0 Fast Role Swap****
- ✓ Thunderbolt™ 3 host compatible
- ✓ Windows®, MacOS®, ChromeOS™ compatible



Aprašymas

Turn your device's USB-C port into an HDMI or VGA output port with this compact single video docking station.

Turn your laptop into a workstation with the compact USB-C DP Alt Mode Single Video 4K HDMI/VGA Docking Station with 100W PD Pass-Thru. Connect your USB-C-enabled devices to a single HDMI or VGA display, while also connecting to a Gigabit Ethernet network, and plugging in your key peripherals – like mice, keyboards, flash drives or hard drives – into the USB-A and USB-C ports. You can even keep your laptop charged and powered by connecting your laptop's USB-C power adapter to the USB-C port on the dock. It supports up to 100W (20V/5A) charging max. This dock also provides transfer speeds up to 5Gbps per port. Compact and lightweight, it's easy to take it along with you anywhere you go.

HD or 4K UHD Display

Whether you want to run a presentation on a larger display or use an external display, this single video docking station supports either one VGA display up to 1920x1200@60Hz or one HDMI display up to 4K@30Hz.

Connectivity Made Simple

Enhance your productivity and connect to more with 2 USB-A 3.2 Gen 1 ports (1 fast-charging) and 1 USB-C 3.2 Gen 1 port.

Charge and Power Host Device

With up to 100W Power Delivery pass-through, this dock allows you to power and charge your USB-C laptop or host simply by connecting the laptop's power adapter into the USB-C port. Great for those laptops with only one USB-C port.

Perfectly Portable

Slim and light, this dock is perfect for the home, office or anywhere in between. Great for mobile workers or those in hoteling or hot-desking environments.

Plug and Play Simplicity

With no need for additional software, this adapter easily attaches to your USB-C or Thunderbolt™ 3 host device (e.g. laptop) to help you connect to a wired network, more peripherals, and transfer data.

Techninė specifikacija

Specifications	
Sandėlio grupė	Docking stations [+71][-71]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	1
Microphone in	No
Headphone outputs	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
VGA (D-Sub) ports quantity	1
Network	
Ethernet LAN	Yes

Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Performance	
Product colour	Grey
HD type	4K Ultra HD
Plug and Play	Yes
Power	
Power source type	USB
Power connector	USB Type-C
Software	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Other operating systems supported	ChromeOS
Weight & dimensions	
Width	95 mm
Depth	52 mm
Height	14 mm
Weight	82 g
Packaging data	
Quantity per pack	1 pc(s)
Logistics data	
Harmonized System (HS) code	84733020
Matmenys ir svoris	
Matmenys (I × P × A)	15,00cm × 9,00cm × 3,00cm
Svoris	0,13kg