Axagon BUCM3-AM15AB SPEED USB-C <> USB-A 3.2 Gen 1 cable 1.5 m

Gamintojas: **AXAGON** · Modelis: **BUCM3-AM15AB** · EAN: **8595247906267** · Prekės kodas: **641787**



9.90€

Kaina su PVM

Be PVM: **8.18€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1.5 m
- ✓ USB C Straight Male
- ✓ USB A Straight Male
- ✓ USB 3.2 Gen 1 (3.1 Gen 1) 5000 Mbit/s
- ✓ Black
- ✓ 1 pc(s)









Aprašymas

Premium connection USB-C <-> USB-A Data and Charging AXAGON BUCM3-AM15AB SPEED USB 3.2 Gen 1 cable with USB-C male and USB-A male connectors. The cable is designed for fast data transfers and notebook, phone, tablet and other mobile device charging. It supports up to 5 Gb/s data transfer and charging with current up to 3A.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Durable data and power cable with extended service life is equipped with metal terminals, connectors with a nickel-plated surface and gold-plated contacts. Cable conductors are made of Tin-plated oxygen free copper. High-quality cable insulation, made of flexible TPE, guarantees maximum durability and also maintains sufficient flexibility. The final strength of the cable is provided by the nylon braid. The bonus is a practical strip for easy packing of the cable.

Power cables 22AWG (lower number = larger cross-section and lower wire resistance) guarantee fast charging of phones and other mobile devices. Data wires 30AWG together with high-quality shielding, ensure reliable data transmission. Triple shielding protects transmitted signals from adverse interference.

Nylon braid in combination with a cable gland significantly reduces dangerous cable bending. The cable life is extended to more than 8000 standard bends. The mechanical resistance of the cable is also increased by the aluminum terminal covers.

Connectors:
• USB-C (M) male
• USB-A (M) male

Other Features:
• DATA SYNC & FAST CHARGING - simultaneous data transfer and mobile device battery charging.
• SuperSpeed USB - USB 3.2 Gen 1 (formerly USB 3.1 Gen 1 / USB 3.0).
• Compatible with USB 3.2 Gen 2, backward compatible with USB 2.0.
• Supports 5.000 / 480 / 12 / 1.5 Mb/s (SuperSpeed / High / Full / Low speed) transmission rates.
• Support for high-speed charging by current up to 3A.
• Supported charging technologies: Qualcomm Quick Charge 2.0 / 3.0, Samsung Adaptive Fast Charging, Huawei Fast Charge Protocol, SMART Charging and others.
• Cable includes power wires 22AWG, data wires 30AWG.
• Tin-plated oxygen free copper conductors to reduce oxidation, increase conductivity, and clear signal without distortion.
• Double shielding via galvanized foil and oxygen free copper braiding minimizes interference and prevents signal loss.
• Nickel-plated connectors and gold-plated contacts prevent oxidation and provide a reliable connection.
• Suitable for mobile phones and smartphones, tablets, powerbanks and other mobile devices with USB-C connector.

Other data:
• cable length 1.5 m,
• 4.5 mm outer diameter.

Package contains:
• USB-C M <-> USB-A M black cable,
• tightening strip,
• packed in a printed and sealed foil package with hanging hole.

Techninė specifikacija

Features	
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB C
Connector 2	USB A
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black

Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	22/30
Connector material	Nickel
Connector contacts plating	Gold
Cable jacket material	Thermoplastic elastomer (TPE)
Cable jacket type	Braided
Conductor material	Oxygen-Free Copper (OFC)
Connector shielding	Yes
Connector shield material	Aluminium
Connector housing material	Metal
Maximum data transfer rate	5000 Mbit/s
Maximum data transfer rate	5 Gbit/s
Cable type	Round cable
Compatible products	mobile phones and smartphones, tablets, powerbanks and other mobile devices with USB-C connector

Power

Input voltage	5 V
Input current (max)	3 A

Weight & dimensions

Cable length	1.5 m
Cable diameter	4.5 mm
Weight	55 g

Packaging data

Package type	Bag
Package width	205 mm
Package depth	130 mm
Package height	10 mm
Package weight	60 g

Packaging content

Quantity per pack	1 pc(s)

Certificates

Compliance certificates	RoHS, CE
Certification	CE, RoHS

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Logistics data	
Country of origin	China
Matmenys ir svoris	
Matmenys (I × P × A)	1.00cm × 13.00cm × 21.00cm
Svoris	0.06kg

Gamintojo ir saugos informacija

MANUFACTURER

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.