Axagon BUCM3-CM10AB USB kabelis USB 3.2 Gen 1 (3.1 Gen 1) 1 m USB C 5 Gbit/s 60 W Juoda

Gamintojas: **AXAGON** · Modelis: **BUCM3-CM10AB** · EAN: **8595247905949** · Prekės kodas: **641788**



8,91 €

Kaina su PVM

Be PVM: **7,36 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1 m
- ✓ USB C Tiesus Kištukinis
- ✓ USB C Tiesus Kištukinis
- ✓ USB 3.2 Gen 1 (3.1 Gen 1) 5000 Mbit/ai Spartusis įkrovimas „USB Power Delivery“ 3.0 60 W
- ✓ Juoda
- ✓ 1 vnt










Aprašymas

Premium connection USB-C <-> USB-C Data and Charging AXAGON BUCM3-CM10AB SPEED USB 3.2 Gen 1 cable with USB-C male connectors at both ends. The cable is designed for fast data transfers and notebook, phone, tablet and other mobile device charging. It supports up to 5 Gb/s data transfer and charging with current up to 3A. The cable is compatible with charging technologies Power Delivery 60W, Quick Charge, Samsung AFC,

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Huawei FCP, SMART and others.

Durable data and power cable with extended service life is equipped with metal terminals, connectors with a nickel-plated surface and gold-plated contacts. Cable conductors are made of Tin-plated oxygen free copper. High-quality cable insulation, made of flexible TPE, guarantees maximum durability and also maintains sufficient flexibility. The final strength of the cable is provided by the nylon braid. The bonus is a practical strip for easy packing of the cable.

Power cables 22AWG (lower number = larger cross-section and lower wire resistance) guarantee fast charging of phones and other mobile devices. Cable also supports notebook charging using Power Delivery 60W technology. Data wires 30AWG together with high-quality shielding, ensure reliable data transmission. Triple shielding protects transmitted signals from adverse interference.

Nylon braid in combination with a cable gland significantly reduces dangerous cable bending. The cable life is extended to more than 8000 standard bends. The mechanical resistance of the cable is also increased by the aluminum terminal covers.

Connectors:
• 2x USB-C (M) male.

Other features:
• DATA SYNC & FAST CHARGING - simultaneous data transfer and mobile device battery charging.
• SuperSpeed USB - USB 3.2 Gen 1 interface (before USB 3.1 Gen 1 / USB 3.0).
• Also compatible with USB 3.2 Gen 2, backward compatible with USB 2.0.
• Supports transmission rates 5.000 / 480 / 12 / 1.5 Mb/s (Superspeed / High / Full / Low speed).
• Support for high-speed charging by current up to 3A.
• Supported charging technologies: Power Delivery 2.0/ 3.0 60W (20V/3A), Qualcomm Quick Charge 2.0 / 3.0 / 4+, Samsung Adaptive Fast Charging, Huawei Fast Charge Protocol, SMART Charging and others.
• Cable includes power wires 22AWG, data wires 30AWG.
• Tin-plated oxygen free copper conductors to reduce oxidation, increase conductivity, and clear signal without distortion.
• Double shielding via galvanized foil and oxygen free copper braiding minimizes interference and prevents signal loss.
• Nickel-plated connectors and gold-plated contacts prevent oxidation and provide a reliable connection.
• Suitable for notebooks, mobile phones and smartphones, tablets, powerbanks and other mobile devices with USB-C connector.

Other data:
• cable length 1 m,
• outer diameter of the cable 4.5 mm.

Package contains:
• USB-C M <-> USB-C M black cable,
• tightening strip,
• packed in a printed and sealed foil package with hanging hole.

Techninė specifikacija

Savybės	
USB versija	USB 3.2 Gen 1 (3.1 Gen 1)
Jungtis 1	USB C
Jungtis 2	USB C
1 jungtis – vidinė ar išorinė	Kištukinis
2 jungtis – vidinė ar išorinė	Kištukinis

Produkto spalva	Juoda
1 jungties forma	Tiesus
2 jungties forma	Tiesus
AWG laido dydis	22/30
Jungties medžiaga	Nikelis
Jungties kontaktų dengimas	Auksas
Laido dangos medžiaga	Termoplastinis elastomeras (TPE)
Kabelio apvalkalo tipas	Pintas
Konduktoriaus medžiaga	Neoksiduotas varis
Jungties ekranavimas	Taip
Jungties ekranavimo medžiaga	Aliuminis
Jungties korpuso medžiaga	Metalas
Didžiausias duomenų perdavimo greitis	5000 Mbit/ai
Maksimalaus duomenų perdavimo sparta	5 Gbit/s
Kabelio tipas	Apvalusis kabelis
Spartusis įkrovimas	Taip
„USB Power Delivery“	Taip
USB maitinimo šaltinio peržiūra	3.0
USB maitinimo tiekimas iki	60 W
Suderinami produktai	mobile phones and smartphones, tablets, powerbanks and other mobile devices with USB-C connector
Energijos valdymas	
Įėjimo įtampa	20 V
Įvesties srovė (maks.)	3 A
Svoris ir matmenys	
Kabelio ilgis	1 m
Kabelio skersmuo	4,5 mm
Svoris	34 g
Pakuotės duomenys	
Pakuotės tipas	Krepšys
Pakuotės plotis	205 mm
Pakuotės gylis	130 mm
Pakuotės aukštis	12 mm
Paketo svoris	39 g
Pakuotės turinys	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Kiekis pakuotėje	1 vnt
Sertifikatai	
Atitikties sertifikatai	RoHS, CE
Sertifikavimas	CE, RoHS
Logistikos duomenys	
Kilmės šalis	Kinija
Garantinis laikotarpis	3 metai
Matmenys ir svoris	
Matmenys (I × P × A)	1,00cm × 13,00cm × 21,00cm
Svoris	0,04kg

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt