


Axagon BUMM3-AM10AB SPEED Micro-B USB <> USB-A 3.2 Gen 1 cable 1 m

Gamintojas: **AXAGON** · Modelis: **BUMM3-AM10AB** · EAN: **8595247905925** · Prekės kodas: **641825**



7,90 €

Kaina su PVM

Be PVM: **6,53 €**

Sandėlyje






Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1 m
- ✓ Micro-USB B Straight Male
- ✓ USB A Straight Male
- ✓ USB 3.2 Gen 1 (3.1 Gen 1) 5000 Mbit/s
- ✓ Black
- ✓ 1 pc(s)



Aprašymas

Premium connection Micro-B USB <-> USB-A Data and Charging AXAGON BUMM3-AM10AB SPEED USB 3.0 cable with Micro-B USB male and USB-A male connectors. The cable is designed for fast data transfers and external hard disks and other mobile device charging. It supports up to 5 Gb/s data transfer and charging with current up to 3A.

Durable data and power cable with extended service life is equipped with metal terminals, connectors with a nickel-plated surface and gold-plated contacts. Cable conductors are made of Tin-plated oxygen free copper. High-quality cable insulation, made of flexible TPE, guarantees maximum durability and also maintains sufficient flexibility. The final strength of the cable is provided by the nylon braid. The bonus is a practical strip for easy packing of the cable.

Power cables 22AWG (lower number = larger cross-section and lower wire resistance) guarantee fast charging of phones and other mobile devices. Data wires 30AWG together with high-quality shielding, ensure reliable data transmission. Triple shielding protects transmitted signals from adverse

interference.

Durable cable gland significantly reduces dangerous cable bending. The cable life is extended to more than 5000 standard bends. The mechanical resistance of the cable is also increased by the aluminum terminal covers.

Connectors:

- USB 3.0 Micro-B (M) male
- USB-A (M) male

Other Features:

- Simultaneous data transfer and mobile device charging.
- SuperSpeed USB - USB 3.2 Gen 1 (formerly USB 3.1 Gen 1 / USB 3.0).
- Compatible with USB 3.2 Gen 2, backward compatible with USB 2.0.
- Supports 5.000 / 480 / 12 / 1.5 Mb/s (SuperSpeed / High / Full / Low speed) transmission rates.
- Support for high-speed charging by current up to 3A.
- Cable includes power wires 22AWG, data wires 30AWG.
- Tin-plated oxygen free copper conductors to reduce oxidation, increase conductivity, and clear signal without distortion.
- Double shielding via galvanized foil and oxygen free copper braiding minimizes interference and prevents signal loss.
- Nickel-plated connectors and gold-plated contacts prevent oxidation and provide a reliable connection.
- Suitable for external hard disks and other mobile devices with Micro-B USB 3.0 connector.

Other data:

- cable length 1 m,
- 4.2 mm outer diameter.

Package contains:

- Micro-B USB M <-> USB-A M black cable,
- tightening strip,
- packed in a printed and sealed foil package with hanging hole.

Techninė specifikacija

Specifications	
Sandėlio grupė	Cables [+391][[-740] USB/TB/FW [+166][[-233]
Features	
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	Micro-USB B
Connector 2	USB A
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	22/30
Connector material	Nickel

Connector contacts plating	Gold
Cable jacket material	Thermoplastic elastomer (TPE)
Conductor material	Oxygen-Free Copper (OFC)
Connector shielding	Yes
Connector shield material	Aluminium
Maximum data transfer rate	5000 Mbit/s
Maximum data transfer rate	5 Gbit/s
Cable type	Round cable
Compatible products	for external hard disks and other mobile devices with Micro-B USB 3.0 connector
Power	
Input voltage	5 V
Input current (max)	3 A
Weight & dimensions	
Cable length	1 m
Cable diameter	4.2 mm
Weight	37 g
Packaging data	
Package type	Bag
Package width	205 mm
Package depth	130 mm
Package height	11 mm
Package weight	42 g
Packaging content	
Quantity per pack	1 pc(s)
Certificates	
Compliance certificates	RoHS, CE
Certification	CE, RoHS
Logistics data	
Country of origin	China
Matmenys ir svoris	
Matmenys (l × P × A)	1,00cm × 13,00cm × 21,00cm
Svoris	0,04kg