

Axagon HMC-H3A knyginių kompiuterių dokas / jungčių replikatorius Vielinis USB 3.2 Gen 1 (3.1 Gen 1) Type-C Sidabras

Gamintojas: **AXAGON** · Modelis: **HMC-H3A** · EAN: **8595247908698** · Prekės kodas: **641839**



20,90 €

Kaina su PVM

Be PVM: **17,27 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Vielinis
- ✓ „Plug and Play“ funkcija
- ✓ Priimančioji sąsaja: USB 3.2 Gen 1 (3.1 Gen 1) Type-C



Aprašymas

The multi-port USB-C 5Gbps AXAGON HMC-H3A STARTER 4in1 hub expands your laptop, computer or phone with four ports. Connect your laptop to the hub via a 15 cm long USB-C cable. You immediately have connectors to connect a monitor and three USB devices at the same time.

The USB hub offers three USB outputs, two with USB-A 480Mbps and the third with USB-A 5Gbps. Transfer rate is up to 5Gb/s thanks to USB 3.2 Gen 1 interface. The hub can also handle permanent connection of several external drives simultaneously.

The HDMI output enables the connection of an external monitor, TV or projector with a resolution of up to 4K/30Hz Ultra HD, 2K/60Hz Quad HD or 1080p/120Hz Full HD and the transmission of multi-channel audio.

The compact and slim aluminium body not only looks great, but also provides mechanical durability and passive cooling. You will also be pleased with the finely textured surface, which does not leave fingerprints.

USB-C hub is an ideal accessory for laptops without USB-A connectors and video output. You can use your current USB peripherals without having to purchase new ones. Thanks to the Plug and Play and Hot Plug functions, connecting the hub itself is very simple without complicated installation, and peripherals can also be easily connected and disconnected while the computer is running.

For the hub to function properly, your laptop's USB-C port must support video output (DisplayPort Alternate Mode or Thunderbolt 3, 4 and above).

The hub can easily connect to phones with a USB-C connector. For example, you can connect a flash drive, keyboard, mouse, display, TV or projector to the phone.

Input (computer, tablet or phone connection):

- USB 5Gbps (USB 3.2 Gen 1 / USB 3.0), USB-C male connector.
- Compatible with USB 10Gbps, USB4, Thunderbolt 3/4.

USB outputs:

- 2x USB 480Mbps port, USB-A female connector.
- 1x USB 5Gbps port, USB-A female connector.
- USB-C hub can handle the connection of several external drives at the same time.

Video outputs:

- 1x HDMI port, HDMI A female connector.

Maximum supported resolution:

- 1 monitor - up to 4K/30Hz Ultra HD, 2K/60Hz Quad HD, 1080p/120Hz Full HD.

Video features:

- For Apple devices running macOS, the maximum refresh rate is usually limited to 60Hz.
- DisplayPort Alternate Mode (DP Alt Mode) enabled USB-C port or Thunderbolt 3 port is necessary for the proper function of video output. A suitable updated OS and up-to-date graphics drivers are also required.
- HPD (Hot-Plug-Detect) support.
- TMDS (Transition Minimized Differential Signalling) support.
- HDCP 1.4 and 2.3 (High-bandwidth Digital Content Protection) full support.
- Up to 8-channel LPCM audio, compressed audio (AC-3, DTC) and HBR audio format support.
- Supports sample rates up to 192 kHz and up to 24-bit audio - depends on the source and destination device, i.e. laptop/phone and TV/monitor/AV receiver.

Other features:

- Possibility to connect your device while running thanks to the Hot Plug support.

- Full Plug and Play support.
- Standby mode support.
- Power supply via USB bus (USB bus power).
- The blue LED indicates with constant light the hub connection to the computer.
- High quality shielded cable ensures fast communication speed and minimal unwanted interference.
- Dimensions 11 x 95 x 26 mm (H x W x D).
- Weight 34 g (incl. cable).
- USB-C cable 15 cm long for connecting the hub to a laptop.

Supported operating systems:

- Windows 10 / 11, macOS, iPadOS, iOS, Linux, Chrome OS and Android.
- Compatibility depends on the operating system and device manufacturer support.
- DisplayPort Alternate Mode (DP Alt Mode) is only supported in updated OS and also depends on support from device (notebook, tablet, phone).
- Graphics card drivers may also affect the correct operation of the product. We recommend downloading the latest version of drivers.

Package contains:

- USB-C hub with fixed 15 cm long cable,
- multilingual manual CZ / DE / DK / ENG / ESP / EST / FIN / FR / GR / HR / HU / IT / LT / LV / NL / NOR / PL / PT / RO / SK / SLO / SRB / SWE / TR / UA / ALB / BG / BOS / CN / ARA,
- packed in a cardboard box with a hanging hole.

Techninė specifikacija

Ryšys	
Ryšio technologija	Vielinis
Priimančioji sąsaja	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 portų kiekis	2
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	1
HDMI portų kiekis	1
Mikrofonas, line-in jack	Ne
Jungtinis ausinių / mikrofono prievadas	Ne
HDCP	Taip
HDCP versija	1.4/2.3
„USB Type C DisplayPort Alternate Mode“	Taip
DC įėjimo lizdas	Ne
Veikimo charakteristikos	
Produkto spalva	Sidabras
Integruotas kortelių skaitytuvas	Ne
Duomenų perdavimo sparta	5 Gbit/s
Maksimali skaitmeninė raiška	4096 x 2160 pikseliai
Maksimalus atnaujinimo dažnis	120 Hz
Hot-Plug palaikymas	Taip

Lizdo sąsajos	USB 2.0, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, HDMI
LED indikatoriai	Taip
„Plug and Play“ funkcija	Taip
Įkrovimo funkcija	Taip
Korpuso medžiaga	Aliuminis
Kilmės šalis	Kinija
Modelio suderinamumas	Universalus
Suderinamumas	universal
Sertifikavimas	CE, RoHS
Garsas	
Įmontuoti garsiakalbiai	Ne
Įmontuotas mikrofonas	Ne
Aušinimas	
Įmontuotas ventiliatorius	Ne
Energijos valdymas	
Maitinimo šaltinio tipas	USB
Maitinimo jungtis	C tipo USB
USB kabelio ilgis	0,15 m
Belaidis įkrovimas	Ne
Programinė įranga	
Palaikomos „Windows“ operacinės sistemos	Taip
Palaikomos MAC operacinės sistemos	Taip
Palaikoma operacinė sistema „Linux“	Taip
Palaikomos serverio valdymo sistemos	Taip
Palaikomos mobiliosios operacinės sistemos	Taip
Kitos palaikomos operacinės sistemos	Taip
Svoris ir matmenys	
Plotis	11 mm
Ilgis	95 mm
Aukštis	26 mm
Svoris	34 g
Pakuotės duomenys	
Kiekis pakuotėje	1 vnt
Pakuotės plotis	203 mm

Pakuotės gylis	99 mm
Pakuotės aukštis	28 mm
Paketo svoris	80 g
Pakuotės turinys	
Pridėti kabeliai	C tipo USB
Instrukcija	Taip
Techninė informacija	
Garantinis laikotarpis	3 metai
Atitikties sertifikatai	CE, RoHS
Matmenys ir svoris	
Matmenys (I × P × A)	3,00cm × 10,00cm × 20,00cm
Svoris	0,08kg

Dokumentai ir vaizdo įrašai

> [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.

Železná 663/5, 619 00 Brno-jih, CZ

[axagon.eu](#)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](#)