

ICY BOX IB-DK4040-CPD Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-C Anthracite, Black

Gamintojas: **ICY BOX** · Modelis: **IB-DK4040-CPD** · EAN: **4250078168966** · Prekės kodas: **642791**



38,90 €

Kaina su PVM

Be PVM: **32,15 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **MORE CONNECTIONS:** The 10-in-1 USB Type-C docking station adds USB-C, 3x USB-A 3.0, HDMI, VGA, SD/microSD card reader, 3.5 mm audio combo jack and Gigabit LAN to your notebook or PC
- ✓ **WORK EFFECTIVELY:** Mirror your display on two additional monitors. Possible resolution when connected via HDMI up to 3840x2160/30 Hz, with VGA up to 1920x1080@60 Hz
- ✓ **FAST:** The USB 3.0 ports of the docking station enable data transfer rates of up to 5 Gbps. With the LAN (RJ45) interface, you can also surf the Internet at high speed
- ✓ **FULLY CHARGED:** Thanks to Power Delivery, connected devices are charged with up to 100 W via an optionally available USB-C charger. This ensures that you always have enough power
- ✓ **SOUNDS GOOD:** Headphones, headset or microphone are connected via the 3.5 mm audio combo jack. Good sound is guaranteed in all situations



Aprašymas

Easy connection - multiple benefits

Perfectly combines a high-quality appearance and efficient technology with a very compact size. The premium aluminum DockingStation does not only look good but also offers high comfort while using. This solution is suited for any location such as private or office areas.

Small but strong

The Type-C™ connection offers incredible versatility. It combines data transmission, video output and power in a single, compact port. The integration of USB Type-C™ makes the connection even more practical, as it has a twist-proof connection as its physical feature - making it a truly universal connection.

Always informed

The IB-DK4040-CPD provides two different video interfaces and enables you to connect an HDMI® and VGA device simultaneously in mirror mode.

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Accessories Exploitation/Cables and adapters/adapters/USB [+75][-148]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
HDMI ports quantity	1
Microphone in	No
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
VGA (D-Sub) ports quantity	1
Combo headphone/mic port	Yes
Headphone connectivity	3.5 mm
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Performance	
Product colour	Anthracite, Black
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	5 Gbit/s
HD type	4K Ultra HD
Maximum digital resolution	3840 x 2160 pixels

Maximum analog resolution	1920 x 1200 pixels
Number of displays supported	2
Maximum refresh rate	60 Hz
UASP support	Yes
Housing material	Aluminium, Plastic
Country of origin	China
Power	
Power source type	USB
Power connector	USB Type-C
Software	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Weight & dimensions	
Width	60 mm
Depth	115 mm
Height	17 mm
Weight	100 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	100 mm
Package depth	25 mm
Package height	200 mm
Package weight	176 g
Packaging content	
Manual	Yes
Logistics data	
Products per master (outer) case	60 pc(s)
Master (outer) case width	330 mm
Master (outer) case length	460 mm
Master (outer) case height	280 mm
Master (outer) case gross weight	10.7 kg
Harmonized System (HS) code	84718000
Other features	
Cable length	0.2 m

Matmenys ir svoris

Matmenys (I × P × A)

20,00cm × 10,00cm × 3,00cm