

i-tec Metal USB-C Ergonomic 4K 3x Display Docking Station + Power Delivery 85 W

Gamintojas: **I-TEC** · Modelis: **C31FLATDOCKPDPRO** · EAN: **8595611703676** · Prekės kodas: **642794**



71,90 €

Kaina su PVM

Be PVM: **59,42 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connect up to three external monitors
- ✓ Power delivery: up to 85 W
- ✓ Provides a DisplayPort, HDMI and VGA port
- ✓ 2x USB 3.0 and 2x USB 2.0 ports will allow you to easily connect your USB devices and peripherals
- ✓ Gigabit Ethernet RJ-45 provides reliable, robust and high-speed Internet connection supporting 10/100/1000 Mbps speeds
- ✓ Combined jack for audio and microphone (headset) on the front panel
- ✓ SD and microSD card readers
- ✓ Metal body
- ✓ Smartphone stand
- ✓ Can also be used as a handy laptop stand



Aprašymas

Ergonomic metal USB-C docking station with support for up to 3 external monitors. The station is compatible with any laptop equipped with a USB-C or Thunderbolt 3 port (the 60 cm integrated cable is long enough to connect all laptops with screens up to size 15"). The dock provides 4x USB ports, reliable and quick connection to company networks thanks to an integrated LAN port and up to 85 W power delivery. The station's design also allows it to be used as a stand for a laptop.

The docking station is available in two versions:

- 1. without enclosed USB-C charging adapter (product code C31FLATDOCKPDPRO)
- 2. with enclosed 100 W adapter (product code C31FLATPRO112W/UK)

Note: macOS does not support Multi Stream Transport (MST) technology, meaning that when connected to a device running macOS, all connected monitors will display the same image.

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Accessories Exploitation/Cables and adapters/Docking stations and port replicators [+29][-59]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	1
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	85 W
VGA (D-Sub) ports quantity	1
DisplayPorts quantity	1
Headphone connectivity	3.5 mm
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Performance	
Product colour	Grey
Card reader integrated	Yes
Compatible memory cards	SD
Housing material	Metal
Power	
Power cable length	0.6 m
Software	
Windows operating systems supported	Yes

Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	Android
Weight & dimensions	
Width	269 mm
Depth	84 mm
Height	23 mm
Weight	324 g
Packaging data	
Package width	316 mm
Package depth	130 mm
Package height	30 mm
Packaging content	
Quick start guide	Yes
Logistics data	
Harmonized System (HS) code	84733020