

i-tec USB 3.0 / USB-C / Thunderbolt, 3x 4K Docking Station + Power Delivery 100W

Gamintojas: **I-TEC** · Modelis: **CATRIPLEDOCPDPRO** · EAN: **8595611704062** · Prekės kodas: **642797**



173,90 €

Kaina su PVM

Be PVM: **143,72 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connect up to 3 external monitors in resolutions up to 4K
- ✓ Power delivery: up to 100W
- ✓ 2 DisplayPort and 3 HDMI ports available
- ✓ 3x USB 3.1 and 2x USB-C allow you to easily connect your USB devices and peripherals (two ports support 10 Gbps speed)
- ✓ Gigabit Ethernet RJ-45 provides reliable, robust and high-speed internet connectivity with support for 10/100/1000 Mbps speeds
- ✓ Combo jack for audio and microphone
- ✓ Kensington lock provides anti-theft protection, especially in shared office environments or public areas
- ✓ Docking station power switch allows for maximum power savings
- ✓ Docking station supports a VESA mount for smart vertical installation behind a VESA-enabled monitor
- ✓ Supports Windows 10, macOS, Android and Linux



Aprašymas

A powerful professional docking station that supports output to up to three external monitors in up to 4K high resolution. The dock can be used with virtually any laptop as it supports connection to all common ports: USB 3.0, USB-C and Thunderbolt 3/4, while supporting all common current operating systems. However, connection to three monitors will only be possible if the laptop has a Thunderbolt 3/4 port or a USB-C port that supports video transfer (USB-C DP Alt mode).

Plenty of USB ports (including those that support speeds of up to 10 Gbps), reliable and fast connection to the corporate network thanks to the

integrated LAN port and support for installation behind the monitor all make this docking station the ideal companion for true professionals. Of course, it supports charging of your laptop or tablet, up to 100W,

*HDMI 3 port will only work when connected to a laptop with Thunderbolt 3/4 port or USB-C port supporting video transfer (called USB-C DP Alt mode)

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Accessories Exploitation/Cables and adapters/Docking stations and port replicators [+29][-59]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
DisplayPorts quantity	2
Combo headphone/mic port	Yes
Headphone connectivity	3.5 mm
DC-in jack	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Performance	
Product colour	Black
Card reader integrated	No
HD type	5K Ultra HD
Maximum digital resolution	5120 x 2880 pixels
Number of displays supported	3
Maximum refresh rate	60 Hz

Cable lock slot	Yes
Cable lock slot type	Kensington
VESA mounting	Yes
On/off switch	Yes
LED indicators	Yes
Power	
Power source type	AC
Output voltage	24 V
Output current	4 A
Compatible power plug types	EU
Software	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	Android
Weight & dimensions	
Width	191 mm
Depth	85 mm
Height	31 mm
Weight	341 g
Packaging data	
Package width	215 mm
Package depth	260 mm
Package height	48 mm
Package weight	1.34 kg
Packaging content	
Cables included	AC, USB
AC adapter included	Yes
Quick start guide	Yes
Logistics data	
Harmonized System (HS) code	84733020
Matmenys ir svoris	
Matmenys (I × P × A)	10,00cm × 10,00cm × 10,00cm
Svoris	0,34kg