

i-tec USB 3.0 / USB-C / Thunderbolt, 3x 4K Docking Station Gen 2 + Power Delivery 100W

Gamintojas: **I-TEC** · Modelis: **CATRIPLE4KDOCKPD2** · EAN: **8595611706073** · Prekės kodas: **642800**



172,90 €

Kaina su PVM

Be PVM: **142,89 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Maximum-performance docking station for up to three monitors simultaneously
- ✓ Dock is compatible with all modern notebooks (connects via USB 3.0, USB-C or Thunderbolt™ 3/4 ports)
- ✓ Supports high 4K resolution with refresh rates up to 60 Hz
- ✓ The docking station supports up to 100W of power to a connected notebook or tablet (when connected to corresponding USB-C or Thunderbolt™ When connected to a USB 3.0 port, the laptop cannot be charged)
- ✓ 4x USB 3.2 Gen 2 (10 Gbps) and 2x USB-C Gen (10 Gbps) allow you to easily connect your USB devices and peripherals
- ✓ GLAN Ethernet supports network speeds of 10/100/1000 Mbps, providing a robust and high-speed internet connection
- ✓ The combined 3.5mm audio/mic port can connect, for example, integrated headphones with microphone
- ✓ The dock is compatible for vertical mounting behind a monitor with VESA mounting support
- ✓ Optional MAC address cloning and automatic data backup of the connected computer (when using i-tec Docker Pro software)



Aprašymas

A powerful professional docking station Gen 2 that supports output to up to three external monitors in up to 4K high resolution. The dock can be used with virtually all notebooks as it supports connection to all common ports: USB 3.0, USB-C and Thunderbolt™ 3/4, while supporting all common

current operating systems. However, connection to three monitors will only be possible if the laptop has a Thunderbolt™ 3/4 port or a USB-C port that supports video transfer (USB-C DP Alt mode). If connected to notebook with USB 3.0 port, only two monitors will be supported.

Plenty of USB ports (all support Gen 2 speeds of up to 10 Gbps), reliable and fast connection to the corporate network thanks to the integrated LAN port and support for installation behind the monitor all make this docking station the ideal companion for true professionals. Of course, it supports charging of your laptop or tablet, up to 100 W.

- Connect to 3 external monitors in resolutions up to 4K*
- Power delivery: up to 100 W
- 2 DisplayPort and 3 HDMI ports available*
- 4x USB 3.2 Gen 2 (10 Gbps) and 2x USB-C Gen 2 (10 Gbps) allow you to easily connect your USB devices and peripherals
- Gigabit Ethernet RJ-45 provides reliable, robust and high-speed internet connectivity with support for 10/100/1000 Mbps speeds
- Combo jack for audio and microphone
- Kensington lock provides anti-theft protection, especially in shared office environments or public areas
- Docking station power switch allows for maximum power savings
- Docking station supports a VESA mount for smart vertical installation behind a VESA-enabled monitor
- Supports Windows 10 / 11, macOS, Android 5 or later, Chrome OS R51 or later, Linux Ubuntu

*HDMI 3 port will only work when connected to a laptop with Thunderbolt™ 3/4 port or USB-C port supporting video transfer (called USB-C DP Alt mode)

If the docking station is connected via USB 3.0 port, charging is not supported

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Accessories Exploitation/Cables and adapters/Docking stations and port replicators [+29][-59]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	0
HDMI ports quantity	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
DisplayPorts quantity	2
Combo headphone/mic port	Yes
Headphone connectivity	3.5 mm
DC-in jack	Yes
Network	

Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Performance	
Product colour	Grey
Card reader integrated	No
Data transfer rate	10 Gbit/s
Number of displays supported	3
Maximum refresh rate	60 Hz
Cable lock slot	Yes
Cable lock slot type	Kensington
VESA mounting	Yes
On/off switch	Yes
LED indicators	Yes
Power	
Output voltage	20 V
Output current	8 A
Compatible power plug types	EU
USB cable length	1 m
Software	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	Android, ChromeOS
Weight & dimensions	
Width	223 mm
Depth	92 mm
Height	30 mm
Weight	365 g
Packaging data	
Package width	260 mm
Package depth	250 mm
Package height	50 mm
Packaging content	

Cables included	USB
AC adapter included	Yes
Quick start guide	Yes