

i-tec Universal 6x 4K/60Hz Display Docking Station + Power Delivery 140W

Gamintojas: **I-TEC** · Modelis: **CA6MONITORDOCKPD** · EAN: **8595611706929** · Prekės kodas: **642806**



265,90 €

Kaina su PVM

Be PVM: **219,75 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ The ultimate performance docking station, allowing up to six monitors to be connected simultaneously
- ✓ Dock is compatible with almost any current laptop (connects via USB-A, USB-C, USB4 or Thunderbolt™ 3/4 ports)
- ✓ Support for the highest possible resolution: two monitors can run at up to 8K resolution, or six monitors can run at up to 4K/60 Hz
- ✓ The dock has a USB-C power port with up to 30W of power, for charging tablets and powerful smartphones
- ✓ There are 8 USB ports, including two USB-C Gen2 (10 Gbps) supporting video, two USB-C (10 Gbps) and four USB-A (10 Gbps)
- ✓ Super-fast LAN port supports up to 2.5 Gbps (10/100/1000/2500 Mbps)
- ✓ The combined 3.5mm audio/mic port can connect, for example, integrated headphones with microphone
- ✓ The docking station supports power for a connected laptop or tablet up to 140W (if it supports a USB-C PD 3.1 protocol)
- ✓ The docking station is compatible for vertical mounting behind a monitor with VESA mounting support



Aprašymas

The ultimate performance docking station. Supports up to six external monitors* at 4K/60Hz. Or, two can run simultaneously even at 8K! The perfect product for users who require multiple monitors without compromising on image stability, resolution and refresh rate. The dock also features a USB-C fast charging port (with up to 30W charging power), especially for charging smartphones and tablets, fast USB ports, a 2.5 Gbps LAN port, as well

as other peripherals.

The dock can be connected to virtually any laptop, regardless of make, model or operating system type. Any USB port is sufficient*.

The dock can be installed behind the monitor (if it supports a standard VESA mount), using the i-tec VESA mount.

- Support for up to 6 external monitors* with resolutions up to 2x 8k, or 6x 4K/60Hz
- Video ports: 2x HDMI, 2x DP, 2x USB-C MFDP (supporting video* or 10 Gbps data)
- 2x USB-C (10 Gbps), one supporting up to 30 W charging
- 4x USB-A 3.1 Gen. 1
- LAN port with up to 2.5 Gbps (10/100/1000/2500 Mbit)
- 5 mm audio/mic port
- 1x SD/microSD slot
- Laptop power supply up to 140 W **
- Docking station on/off button
- Support for installation behind a monitor

* If connected via USB-A, only four monitors will be supported via DP and HDMI ports, and laptop/tablet charging will not be possible.

** If your laptop or tablet supports the new and modern USB-C Power Delivery PD 3.1 charging protocol, the docking station will offer charging power up to 140W (if you have PD 3.0, the charging power will be 100W)

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Accessories Exploitation/Cables and adapters/Docking stations and port replicators [+29][-59]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	0
HDMI ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	140 W
DisplayPorts quantity	2
Combo headphone/mic port	Yes
Headphone connectivity	3.5 mm
DC-in jack	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1

Ethernet LAN data rates	10,100,1000,2500 Mbit/s
-------------------------	-------------------------

Performance

Product colour	Black
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	10 Gbit/s
Maximum digital resolution	7680 x 4320 pixels
Number of displays supported	6
Maximum refresh rate	144 Hz
Cable lock slot	Yes
Cable lock slot type	Kensington
VESA mounting	Yes
On/off switch	Yes
LED indicators	Yes

Power

Output voltage	24 V
Output current	10 A
Power consumption (max)	240 W
Compatible power plug types	EU
USB cable length	1 m

Software

Windows operating systems supported	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	Android, ChromeOS

Weight & dimensions

Width	218 mm
Depth	88 mm
Height	37 mm
Weight	546 g

Packaging data

Package width	270 mm
Package depth	181 mm
Package height	90 mm

Packaging content	
Cables included	AC, USB Type-A to USB Type-C, USB Type-C
AC adapter included	Yes
Quick start guide	Yes
Matmenys ir svoris	
Matmenys (l × p × a)	27,00cm × 19,00cm × 10,00cm
Svoris	1,75kg