

i-tec Universal 5x 4K/60Hz Display Docking Station + Power Delivery 100W

Gamintojas: **I-TEC** · Modelis: **CA5MONITORDOCKPD** · EAN: **8595611707001** · Prekės kodas: **642807**



199,90 €

Kaina su PVM

Be PVM: **165,21 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ A docking station built on the latest DisplayLink DL7400 platform that allows up to five monitors to be connected simultaneously
- ✓ The dock is compatible with almost all current notebooks (connects via USB-A, USB-C, USB4 or Thunderbolt™ 3/4 ports)
- ✓ Support for the highest possible resolution: one monitor can operate at up to 8K/60 Hz, or up to five monitors at up to 4K/60 Hz
- ✓ The dock has two USB-C ports with up to 15W of charging power for charging tablets and high-performance smartphones
- ✓ There are 5 USB ports, including two USB-C (10 Gbps) and three USB-A (10 Gbps)
- ✓ The superfast LAN port supports speeds up to 2.5 Gbps (10/100/1000/2500 Mbps)
- ✓ A combined 3.5mm audio/microport allows you to connect, for example, integrated headphones with microphone
- ✓ The docking station supports up to 100 W of power for a connected laptop or tablet
- ✓ Docking station is compatible for vertical mounting behind a monitor with VESA mounting support



Aprašymas

The highest performance docking station possible! Supports up to five external monitors* with 4K/60Hz resolution. And one monitor can even run at 8K/60Hz! The ideal dock product for users who require multiple monitors without compromising on image stability, resolution and refresh rate. The dock also features two USB-C fast charging ports (with up to 15W charging power), especially for charging smartphones and tablets, as well as fast

USB ports, a 2.5Gbps LAN port, and other peripherals.

The docking station can be connected to virtually any notebook regardless of make, model or operating system type. Any USB port* is sufficient.

The dock can be installed behind the monitor (if it supports a standard VESA mount), using the i-tec VESA mount.

- Support for up to 5 external monitors* with 1x 8k/60Hz or 5x 4K/60Hz resolution
- Video ports: 3x HDMI* and 2x DP
- 2x USB-C (10 Gbps), with up to 15W charging support
- 3x USB-A (10 Gbps)
- LAN port with up to 2.5 Gbps (10/100/1000/2500 Mbit)
- 5 mm audio/microphone port
- Laptop power up to 100 W
- Docking station on/off button
- Support for installation behind a monitor

* If connected via USB-A, only four monitors via DP and HDMI ports (video ports 1-4) will be supported and notebook/tablet charging will not be possible.

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Accessories Exploitation/Cables and adapters/Docking stations and port replicators [+29][-59]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	0
HDMI ports quantity	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	3
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
DisplayPorts quantity	2
Combo headphone/mic port	Yes
DC-in jack	Yes
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1

Ethernet LAN data rates	10,100,1000,2500 Mbit/s
-------------------------	-------------------------

Performance

Product colour	Black
Card reader integrated	No
Data transfer rate	10 Gbit/s
HD type	8K Ultra HD
Maximum digital resolution	7680 x 4320 pixels
Number of displays supported	5
Maximum refresh rate	60 Hz
Cable lock slot	Yes
Cable lock slot type	Kensington
VESA mounting	Yes
On/off switch	Yes
LED indicators	Yes

Power

Power supply	130 W
Output voltage	20 V
Output current	6.5 A
Compatible power plug types	EU
USB cable length	1 m

Software

Windows operating systems supported	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	Android, ChromeOS

Weight & dimensions

Width	245 mm
Depth	98 mm
Height	37 mm
Weight	495 g

Packaging data

Package width	259 mm
Package depth	142 mm
Package height	89 mm

Package weight	1.28 kg
----------------	---------

Packaging content

Cables included	USB Type-A to USB Type-C
-----------------	--------------------------

AC adapter included	Yes
---------------------	-----

Manual	Yes
--------	-----

Matmenys ir svoris

Matmenys (l × p × a)	26,00cm × 15,00cm × 9,00cm
----------------------	----------------------------

Svoris	1,33kg
--------	--------