

Zyxel GS1008HP Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

Gamintojas: ZYXEL · Modelis: GS1008HP-EU0101F · EAN: 4718937604135 · Prekės kodas: 642991



71,90 €

Kaina su PVM

Be PVM: 59,42 €

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Unmanaged
- ✓ Basic switching RJ-45 Ethernet ports quantity: 8
- ✓ Switching capacity: 16 Gbit/s
- ✓ Power supply included Power over Ethernet (PoE)



Aprašymas

Meeting the price and power demands of small businesses

The Zyxel GS1008HP is equipped with 8 gigabit Ethernet ports, all of which are PoE ports that can deliver up to 60W of total PoE budget. The GS1008HP can easily connect with PoE ready devices to your network with plug-and-play design while providing power-saving benefits without compromising performance. The GS1008HP fills a long-standing hole in the market for unmanaged PoE switches that feature the 802.3at standard, has a high power budget and are affordable for SOHOs and small businesses.

Smart PoE+ 802.3af/802.3at Support

The GS1008HP supports the IEEE 802.3at standard, providing a maximum of 30 watts per port (with a max total power budget of 60 watts) to supply power to PoE network devices such as wireless APs, IP cameras, and VoIP phones.

Easy PoE Budget Management

The GS1008HP boasts a total power budget of 60W and features a handy LED indicator that shows orange when the 50W threshold is reached. If

power usage exceeds the budget, the last device will automatically be dropped with no impact on the other devices that are powered through the switch.

Gigabit data transmission and smart features

Featuring Gigabit performance, it provides 10 times faster than Fast Ethernet. Delivers up to 2,000 Mbps of dedicated bandwidth per port. Get more advanced features like Jumbo Frame, flow control, and auto-negotiation. It's a great choice for SMBs who want to enjoy high-speed business network applications!

Fanless design

Extend your network without disrupting your quiet business environment. This switch features a fanless design that ensures noiseless operation and greater reliability over time with no moving parts that may fail.

Advanced Energy-Savings at Work

The GS1008HP's built-in IEEE 802.3az Energy Efficient Ethernet (EEE) function automatically detects network traffic and adjusts power consumption dynamically to reduce power usage during low link utilization periods.

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Electronics/Networks and communication/Switchers [+36][-359]
Management features	
Switch type	Unmanaged
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	8
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Installed SFP modules quantity	0
Installed SFP+ modules quantity	0
Power connector	DC-in jack
Network	
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
10G support	No
Flow control support	Yes
Auto MDI/MDI-X	Yes
Data transmission	
Switching capacity	16 Gbit/s
Store-and-forward	Yes
Jumbo frames support	Yes
Jumbo frames	9000
Design	
Product colour	Grey

LED indicators	PoE, Power
Power	
Power supply included	Yes
DC input voltage	55 V
Input current	1.3 A
Power consumption (max)	72 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) ports quantity	8
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	240 mm
Depth	105 mm
Height	26 mm
Weight	610 g
Packaging content	
Cables included	AC
Quick start guide	Yes
Packaging data	
AC adapter included	Yes
Package width	256 mm
Package depth	132 mm
Package height	78 mm
Package weight	1.26 kg
Logistics data	
Master (outer) case width	283 mm
Master (outer) case length	415 mm
Master (outer) case height	282 mm
Harmonized System (HS) code	85176990
Master (outer) case gross weight	9 kg

Matmenys ir svoris

Matmenys (l × p × A)	10,00cm × 10,00cm × 10,00cm
----------------------	-----------------------------