

Zyxel XMG-105 Unmanaged 2.5G Ethernet (100/1000/2500) Grey

Gamintojas: **ZYXEL** · Modelis: **XMG-105-ZZ0101F** · EAN: **4718937631117** · Prekės kodas: **642992**



77,90 €

Kaina su PVM

Be PVM: **64,38 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Unmanaged
- ✓ Quality of Service (QoS) support
- ✓ Basic switching RJ-45 Ethernet ports quantity: 5
- ✓ MAC address table: 16000 entries
- ✓ Switching capacity: 25 Gbit/s
- ✓ AC Power supply included



Aprašymas

Upgrade Network to Multi-Gig

MG-105 and MG-108 come with five/eight 2.5 Gigabit ports to optimize performance of your Multi-Gig bandwidth and devices, and provide 25/40 Gbps of switching capacity. They are an ideal choice for LAN parties, home entertainment, SoHo and offices.

Plug-n-Play, Enjoy High Speed Network

Easily connect MG-105 or MG-108 to the latest 2.5G-capable network devices such as 2.5G NAS, 2.5G PCIe adapter, gaming console, VR gaming, WiFi 6 AP, 4K video, desktop, and more and more to instantly enjoy high performance networking and smoother home entertainment experience with its simplified plug-and-play technology.

Use your existing cables

The Multi-Gigabit RJ-45 ports not only provide more speed options for your network, but it can increase your home networking speed from current 1Gbps to 2.5Gbps without additional cabling fee!

Fanless Design For True Silent Operation

MG-105 and MG-108 are built with fanless and sturdy hardware design to ensure all-time silent and stable operation. They are perfect for every home or business environment.

Flexible Deployment In Your Room

The mounting option gives you the flexibility to place the 2.5G switch on a desktop or mount it to a wall.

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Electronics/Networks and communication/Switchers [+36][-359]
Management features	
Switch type	Unmanaged
Quality of Service (QoS) support	Yes
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	5
Basic switching RJ-45 Ethernet ports type	2.5G Ethernet (100/1000/2500)
Installed SFP modules quantity	0
Installed SFP+ modules quantity	0
Network	
Networking standards	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x
10G support	No
Data transmission	
MAC address table	16000 entries
Switching capacity	25 Gbit/s
Forwarding rate	18.6 Mpps
Jumbo frames support	Yes
Packet buffer memory	12 MB
Design	
Product colour	Grey
Housing material	Metal
LED indicators	Activity, Link, Power
Power	
Power source	AC
Power supply included	Yes
AC input voltage	100 - 240 V

AC input frequency	50/60 Hz
Power consumption (typical)	3.83 W
Power consumption (max)	9.34 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	No
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	160 mm
Depth	110 mm
Height	26 mm
Weight	460 g
Packaging content	
Quick start guide	Yes
Packaging data	
Package width	215 mm
Package depth	133 mm
Package height	79 mm
Package weight	919.6 g
Certificates	
Certification	CE, EAC, FCC, BSMI Class B
Matmenys ir svoris	
Matmenys (I × P × A)	21,00cm × 8,00cm × 14,00cm