

TP-Link ER7406 wired router Gigabit Ethernet Black

Gamintojas: **TP-LINK** · Modelis: **ER7406** · EAN: **8885020622300** · Prekės kodas: **643000**



133,90 €

Kaina su PVM

Be PVM: **110,66 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1x Gigabit SFP WAN/LAN port
- ✓ 5x Gigabit RJ45 ports (1x WAN, 4x WAN/LAN)
- ✓ 1x USB 3.0 port (Supports USB storage, and LTE backup with LTE dongle)
- ✓ Load Balancing on up to 5 WAN ports raises the utilization rate of multi-line broadband
- ✓ High-security SSL/ IPSec / GREš / WireGuard / PPTP / L2TP VPN & OpenVPN
- ✓ Centralized cloud management via the web or the Omada app*
- ✓ DoS defense, IP/MAC/URL filtering, DPI, and IPS/IDS for enhanced security
- ✓ Rackmount/Desktop



Techninė specifikacija

Specifications

Sandėlio grupė Root/Electronics/Networks and communication/Routers [+44][-296]

WAN connection

Ethernet WAN Yes

DSL WAN No

SIM card slot No

3G/4G USB modem compatibility	Yes
SFP WAN	Yes
Network	
Networking standards	IEEE 802.1D, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Static route	Yes
VLAN support	Yes
Management features	
Web-based management	Yes
Reset button	Yes
Ports & interfaces	
Ethernet LAN (RJ-45) ports	5
Installed SFP modules quantity	1
USB ports quantity	1
Protocols	
DHCP server	Yes
DMZ support	Yes
Security	
Security algorithms	128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SHA-2, SHA-384, SHA-512
URL filtering	Yes
DoS attack prevention	Yes
ARP attack prevention	Yes
ICMP attack prevention	Yes
VPN tunnels quantity	50
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Packaging content	
Cables included	AC
Quick installation guide	Yes
Features	
Flash memory	128 MB
Internal memory	512 MB
Internal memory type	DDR4

Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Design	
Product colour	Black
Rack mounting	Yes
Power	
Power consumption (max)	7.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	294 mm
Depth	140 mm
Height	44 mm
Matmenys ir svoris	
Matmenys (I × P × A)	35,00cm × 8,00cm × 24,00cm
Svoris	1,90kg