

j5create JCD373-N USB-C® Lightweight Multi Adapter

 Gamintojas: **J5CREATE** · Modelis: **JCD373-N** · EAN: **4712795086027** · Prekės kodas: **644063**


49,90 €

Kaina su PVM

 Be PVM: **41,24 €**



Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ultra slim and light weight design
- ✓ Supports HDMI™ resolutions up to 4K @ 30 Hz
- ✓ 2 x USB™ 3.1 Gen 1 ports provide up to 5 Gbps transfer speed
- ✓ Power delivery 3.0 provides up to 60W of charging power
- ✓ Memory card reader/writer slots allow for external memory access up to 2 TB, supporting microSD™ and SD™ 3.0 UHS-I with data transfer speeds up to 104 MB/s
- ✓ 3.5 mm audio / mic combo jack allows you to connect your headphone set or speakers.
- ✓ Plug-and-play, no driver installation required



Aprašymas

Our USB-C® Multi-Port Hub with Power Delivery provides extra connectivity for your computer. This pocket-sized multi-adapter with 2 USB™ 3.1 Type-A ports allows you to connect an external keyboard, mouse, or USB™ flash drive. With high-speed transmission up to 5 Gbps, data transfer is quick and easy. The HDMI™ port allows you to mirror or extend your screen and directly output 4K UHD @ 30 Hz or Full HD 1080p video to an HDTV, monitor, or projector.

Equipped with a USB-C® Power Delivery 3.0 charging port. It offers charging up to 60W when connected to a USB-C® power adapter. The hub also provides direct access to your SD™ & microSD™ memory cards. The audio/mic combo jack allows you to connect your headphone set or speakers.

Techninė specifikacija

Specifications	
Sandėlio grupė	Network > USB Hub / Controller [+181][-177]
Ports & interfaces	
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	60 W
Combo headphone/mic port	Yes
Performance	
Product colour	White
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), SD
HD type	4K Ultra HD
Maximum refresh rate	30 Hz
Hub interfaces	3.5mm, HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Plug and Play	Yes
Housing material	Acrylonitrile butadiene styrene (ABS)
Country of origin	Taiwan
Power	
Input current	3 A
Power supply type	USB
Output voltage	5 V
Output current	0.38 A
Power consumption (typical)	1.96 W
Software	
Windows operating systems supported	Windows 10
Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Yes
Linux operating systems supported	No

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-17 - 68 °C
Operating relative humidity (H-H)	0 - 85%
Storage relative humidity (H-H)	0 - 85%

Weight & dimensions

Width	39 mm
Depth	11 mm
Height	122 mm
Weight	51.5 g

Packaging data

Quantity per pack	1 pc(s)
Package width	193 mm
Package depth	125 mm
Package height	25 mm
Package weight	100 g

Packaging content

Cables included	USB Type-C
Quick start guide	Yes
Packaging content	1 x JCD373 USBxC® MultixPort Hub with Power Delivery, 1 x Quick Installation Guide

Technical details

Warranty period	2 year(s)
-----------------	-----------

Other features

Cable length	0.15 m
Maximum operating temperature	40 °C

Matmenys ir svoris

Matmenys (I × P × A)	20,00cm × 13,00cm × 3,00cm
Svoris	0,10kg