

j5create JCD403 USB4® 8K Multi-Port Hub

Gamintojas: **J5CREATE** · Modelis: **JCD403-N** · EAN: **4712795086614** · Prekės kodas: **644170**



115,91 €

Kaina su PVM

Be PVM: **95,79 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports resolutions up to 8K
- ✓ Compatible with Thunderbolt™ 4, Thunderbolt™ 3 or other USB-C® host laptops
- ✓ Thunderbolt™ 4, USB4® is required to achieve 8K resolutions
- ✓ Also supports other USB™ 3.2 host laptops and lower resolution monitors/displays
- ✓ One 2.5 Gigabit Ethernet port for a high-speed multi-gig network connection
- ✓ Two SuperSpeed+ USB™ Type-A 10Gbps port to accommodate your legacy peripheral
- ✓ One USB-C® downstream port supports up to 10Gbps data transmission
- ✓ Power Delivery 3.0 offers up to 100W of pass-through charging
- ✓ Multiple data and display protocols efficiently share bandwidth to offer optimal performance
- ✓ Wide compatibility with various operating systems and devices



Aprašymas

This high-performance USB4® multi-port hub incorporates the latest USB4® controller offering compatibility with Thunderbolt™ 4 and older USB™ specifications.

With up to 40Gbps of throughput, dynamic data, and display bandwidth allocation for efficient display data flow, you can easily create a high-definition monitor setup. Enjoy up to 8K resolution and access data faster without affecting system performance. Additionally, it has three USB™ SuperSpeed+ 10Gbps ports (1 USB-C® and 2 Type-A) for charging or connecting peripherals. It is also equipped a USB-C® Power Delivery port to charge your laptop and power your connected devices with up to 100W of pass-through power.

Techninė specifikacija

Specifications	
Sandėlio grupė	Network > USB Hub / Controller [+181][-177]
Ports & interfaces	
Ports quantity	6
Host interface	USB Type-C
Hub interfaces	HDMI, RJ-45, USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
HDMI ports quantity	1
Ethernet LAN (RJ-45) ports	1
USB Type-C DisplayPort Alternate Mode	Yes
I/O ports	1- USB-C 3.2 Gen2 10Gbps data transmission 1- USB-C power delivery 3.0 100W 2- USB Type-A 3.2 Gen2 10Gbps data transmission 1- 8K HDMI 1- RJ45 2.5 Gigabit Ethernet
Features	
Data transfer rate	10000 Mbit/s
Supported graphics resolutions	3840 x 2160, 7680 x 4320
Maximum resolution (HDMI)	7680 x 4320 pixels
Product colour	Grey
Housing material	Aluminium
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HD type	8K Ultra HD
Number of displays supported	1
Cable type	Round cable
Plug and Play	Yes
Country of origin	Taiwan
Compatible products	Available Thunderbolt 4, Thunderbolt 3, USB4, and USB-C host laptops. GPU and video source: DisplayPort 1.4 alt mode with DSC supports 8K 60 Hz or 4K 144Hz. DisplayPort 1.4 alt mode without DSC supports 8K 30 Hz or 4K 120 Hz. * DSC = VESA Display Stream Compression (DSC) Standard. Only available on NVIDIA GeForce RTX 20 Series and AMD Radeon RX 6000 Series GPUs or above. * Recommended Graphics Cards: Intel HD Graphics 620, Intel® HD Graphics 520 or above. * Notes: Macs supports up to 4K 60Hz on an 8K HDMI display.
Network	

Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000,2500 Mbit/s
Power	
Power supply type	USB/AC
Power supply	100 W
Input voltage	20 V
Input current	5 A
Output voltage	20 V
Output current	4.75 A
Power plug type	Type C
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Weight & dimensions	
Width	51 mm
Depth	15 mm
Height	135 mm
Weight	109 g
Packaging content	
AC adapter included	No
Quick start guide	Yes
Packaging content	1 - JCD403 USB4 8K Multi-Port Hub 1 - Quick Installation Guide (QIG)
Operational conditions	
Operating temperature (T-T)	-1 - 41 °C
Operating temperature (T-T)	30 - 116 °F
Storage temperature (T-T)	-17 - 68 °C
Operating relative humidity (H-H)	0 - 85%
Storage relative humidity (H-H)	0 - 85%
Technical details	
Warranty period	2 year(s)
Matmenys ir svoris	
Matmenys (I × P × A)	20,00cm × 13,00cm × 3,00cm
Svoris	0,17kg