

Axagon RVDM-HI14N Mini DisplayPort -> HDMI 1.4 adapter 4K/30Hz

Gamintojas: **AXAGON** · Modelis: **RVDM-HI14N** · EAN: **8595247906069** · Prekės kodas: **645838**



11,89 €

Kaina su PVM

Be PVM: **9,83 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Sound transfer support
- ✓ Ddc (display data channel) support - intelligent setting of resolution, frequency and other parameters according to the source graphics chip
- ✓ Supported modes: mirroring the primary monitor area (default setting), expanding the primary monitor area
- ✓ Hpd (hot-plug-detect) support - communication sequence controlling the connection/disconnection of the device while running
- ✓ Hdcp 1.4 and 2.2
- ✓ Support of power saving modes with spinning down controlled by a source device (pc) and a viewing device (monitor/tv)
- ✓ Power supply via bus - no external power is needed
- ✓ Gold-plated connectors for perfect contact and oxidation limitation
- ✓ Total cable length incl. Connector 18 cm



Aprašymas

Mini DisplayPort -> HDMI active adapter AXAGON RVDM-HI14N to connect HDMI monitor/TV/projector to the computer with the Mini DisplayPort output.

The smart hardware converter without the need for any installation or setup ensures high-quality transfer of image and sound with a resolution up to 4K/30Hz.

Video and audio transfer from a computer or laptop will now be easy. Compact dimensions ensures easy use even in insufficient space. This is a convenient solution if you already own an HDMI cable - you only add a reducer.

The adapter is only one-way, i.e. Mini DisplayPort to HDMI, not otherwise.

Techninė specifikacija

Specifications	
Sandėlio grupė	Adapters [+118][-125]
Features	
Cable length	0.15 m
Connector 1	Mini DisplayPort
Connector 2	HDMI
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
HDMI version	1.4b
HDCP	Yes
HDCP version	1.4/2.2
DisplayPort version	1.2
Maximum resolution	4096 x 2160 pixels
Supported graphics resolutions	800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1366 x 768, 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 1920 x 1440, 2048 x 1152, 2048 x 1536 (QXGA), 2560 x 1080, 2560 x 1440, 2560 x 1600 (WQXGA), 2560 x 1920, 2560 x 2048, 3440 x 1440, 3840 x 1080, 3840 x 1200, 3840 x 1600, 3840 x 2160, 4096 x 2160
Maximum refresh rate	120 Hz
Product colour	Black
Cable type	Round cable
Plug and Play	Yes
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS
Certificates	

Compliance certificates	CE, RoHS
Certification	CE, RoHS, FCC

Weight & dimensions

Weight	17 g
Width	21 mm
Depth	12 mm
Height	45 mm

Packaging data

Package width	90 mm
Package depth	26 mm
Package height	180 mm
Package weight	50 g
Package type	Box

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------