

Yealink SIP-T57W IP phone Grey LCD Wi-Fi

Gamintojas: **YEALINK** · Modelis: **1301089** · EAN: **6938818303249** · Prekės kodas: **646335**



239,89 €

Kaina su PVM

Be PVM: **198,26 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Aprašymas

Adjustable High-Resolution Display

Aligning with a fully adjustable display, the T5 Business Phone Series can easily fulfill the viewing needs at a variety of angles and under a variety of lighting conditions and finally provides optimized user experience.

Acoustic Shield technology

The Yealink T5 Business Phone Series is designed with Yealink Acoustic Shield technology to deliver distraction-free voice clarity for remote participants by utilizing multiple microphones to create a virtual shield.

Cordless Cordless Phone

The Yealink New T5 Business Phone Series supports DECT handset compatibility via a DECT dongle Yealink DD10K, up to 4 cordless handsets. Seamless switching of calls between the desktop phone and the cordless DECT handset.

Advanced Wireless Connectivity

Built-in Bluetooth 4.2 for wireless headsets connection and enhanced mobility. Wi-Fi 2.4G/5G to help business maximize the use of wireless network, reduce internet cable cost and support clean and uncluttered workspace communications.

Techninė specifikacija

Specifications

Sandėlio grupė

Telefon & Tablet > Telefon/-anlagen [+417][-56]

Design

Product type

IP Phone

Product colour

Grey

Handset type	Wired handset
Mounting	Desk/Wall
Performance	
Dual-Tone Multi-Frequency (DTMF) modes	In-band, Out-of band, SIP info
Phone features	
Caller ID	Yes
Phonebook capacity	1000 entries
Number of VoIP accounts	16
Answering machine	Yes
Call waiting	Yes
Speed dialling	Yes
Call hold	Yes
Call forwarding	Yes
Conference call	Yes
Redialing	Yes
Do not disturb function	Yes
Call park	Yes
Call pick up	Yes
Anonymous call	Yes
Anonymous call rejection	Yes
Full duplex	Yes
Short Message Service (SMS)	Yes
Call return	Yes
Call transfer	Yes
Message-waiting indicator (MWI)	Yes
Call history	Yes
Management features	
Integrated voicemail	Yes
Volume control	Buttons
Display	
Touchscreen	Yes
Display	LCD
Display diagonal	17.8 cm (7")
Display resolution	800 x 480 pixels

Camera	
Front camera	No
Audio	
Speakerphone	Yes
Microphone mute	Yes
Voice codecs	G.722, G.723.1, G.726, G.729A, G.729B, iLBC
Voice activity detection	Yes
Adaptive jitter buffers	Yes
Automatic gain control	Yes
Comfort noise generation (CNG)	Yes
Anti-clipping (ACLP)	Yes
Packet loss concealment (PLC)	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	Yes
Ethernet LAN interface type	Gigabit Ethernet
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Supported network protocols	FTP/TFTP/HTTP/HTTPS
Quality of Service (QoS) support	Yes
Security algorithms	AES, HTTPS, MD5, SRTP
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1p, IEEE 802.1x, IEEE 802.3af
Ports & interfaces	
USB 2.0 ports quantity	1
Ethernet LAN (RJ-45) ports	2
RJ-9 ports quantity	2
DC-in jack	Yes
Power	
Power over Ethernet (PoE)	Yes
AC adapter input voltage	100 - 240 V
AC adapter output voltage	5 V
AC adapter output current	2 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C

Operating relative humidity (H-H)	10 - 95%
-----------------------------------	----------

Weight & dimensions

Width	259.4 mm
-------	----------

Depth	220 mm
-------	--------

Height	211 mm
--------	--------

Packaging content

Number of handles included	1 pc(s)
----------------------------	---------

Quick start guide	Yes
-------------------	-----

Cables included	LAN (RJ-45)
-----------------	-------------