

# Yealink W78P IP phone Black TFT

Gamintojas: **YEALINK** · Modelis: **1302026** · EAN: **6938818310186** · Prekės kodas: **646359**



## 138,90 €

Kaina su PVM

Be PVM: **114,79 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Scalable solution with superior performance
- ✓ Easy deployment and efficient management
- ✓ Optimized wireless communication experience for mobile working
- ✓ Seamlessly compatible with Yealink full-range DECT endpoints

## Aprašymas

### High-performance and Scalable for Productive Communication

Supporting registration with up to 10 Yealink W78H DECT handsets, the W78P system is launched with robust processing capacity for up to 10 SIP accounts and 20 simultaneous calls. More flexibility and mobility could be enabled through up to 6 optional repeaters for extended network coverage.

### Clarity and Stability for Premium Mobile Communication

Yealink new W78P embraces upgraded hardware, sophisticated acoustic algorithms, noise cancellation technology and enhanced signal strength, providing the flexible workforces with a high-quality mobile communication environment. Even in complex surroundings, users can have hassle-free conversations through the noise-free conditions and larger volume.

### User-Friendly Features, Maximum Flexibility

#### Built-in Bluetooth

With built-in Bluetooth 5.1, the Yealink W78H integrates wireless communication into the business elite's work routines. Connected with Yealink BH72/BH76 headset, it empowers customers to free their hands and work while taking calls.

#### Vibration Alarm

Every new message can be critical to the business, and the vibration alarm feature makes sure that every call is noticed, even in cluttered and stressful environments. Missing calls will not be your concern.

### Quick Charging

Long charging time will reduce work efficiency, but that will not happen with Yealink W78H. 10-minutes charging time can outlast two hours of talk time, so even if you forget to charge, you don't have to worry about work being delayed.

### Streamline Provisioning for Labor and Time Costs Saving

The W78P supports efficient provisioning and effortless mass deployment with Yealink's Redirection and Provisioning Service (RPS) and Boot mechanism to help realize remote deployment, maintenance and upgrade.

The new web portal for device management brings clear and intuitive interface to upgrade user experience.

### Yealink Full-range of DECT Devices Solutions

Yealink W78P DECT IP phone system is also compatible with Yealink whole series of DECT endpoints including handsets, conference phones and DD phones,

offering additional choices for building up wireless communication network in various workspaces across small and medium size business.

## Techninė specifikacija

| Specifications            |                                                 |
|---------------------------|-------------------------------------------------|
| Sandėlio grupė            | Telefon & Tablet > Telefon/-anlagen [+417][-56] |
| Design                    |                                                 |
| Product type              | IP mobile phone                                 |
| Product colour            | Black                                           |
| Handset type              | Wireless handset                                |
| Backlight keypad          | Yes                                             |
| Device lock               | Yes                                             |
| Wall mountable            | Yes                                             |
| Mounting                  | Desk/Wall                                       |
| Performance               |                                                 |
| DECT connectable          | Yes                                             |
| Maximum indoor range      | 50 m                                            |
| Maximum outdoor range     | 300 m                                           |
| Hearing aid compatibility | Yes                                             |
| Phone features            |                                                 |
| Caller ID                 | Yes                                             |
| Phonebook capacity        | 1000 entries                                    |
| Answering machine         | Yes                                             |
| Simultaneous ring         | Yes                                             |
| Call waiting              | Yes                                             |

|                                    |                  |
|------------------------------------|------------------|
| Speed dialling                     | Yes              |
| Intercom                           | Yes              |
| Call hold                          | Yes              |
| Call forwarding                    | Yes              |
| Conference call                    | Yes              |
| Redialing                          | Yes              |
| Anonymous call                     | Yes              |
| Anonymous call rejection           | Yes              |
| Full duplex                        | Yes              |
| Direct call                        | Yes              |
| Vibrating alert                    | Yes              |
| Call transfer                      | Yes              |
| Message-waiting indicator (MWI)    | Yes              |
| Call history                       | Yes              |
| Emergency call                     | Yes              |
| <b>Management features</b>         |                  |
| Integrated voicemail               | Yes              |
| Keypad number of keys              | 25               |
| Number of function keys            | 6                |
| Firmware upgradeable               | Yes              |
| <b>Display</b>                     |                  |
| Display                            | TFT              |
| Display diagonal                   | 6.1 cm (2.4")    |
| Display resolution                 | 240 x 320 pixels |
| Number of simultaneous touchpoints | 20               |
| <b>Audio</b>                       |                  |
| Speakerphone                       | Yes              |
| Noise reduction                    | Yes              |
| Number of melodies                 | 9                |
| Automatic gain control             | Yes              |
| Comfort noise generation (CNG)     | Yes              |
| <b>Network</b>                     |                  |
| Ethernet LAN                       | Yes              |
| Bluetooth                          | Yes              |

|                                   |                                                          |
|-----------------------------------|----------------------------------------------------------|
| Ethernet LAN interface type       | Fast Ethernet                                            |
| Ethernet LAN data rates           | 10,100 Mbit/s                                            |
| Bluetooth version                 | 5.1                                                      |
| DHCP client                       | Yes                                                      |
| <b>Ports &amp; interfaces</b>     |                                                          |
| Ethernet LAN (RJ-45) ports        | 1                                                        |
| <b>Certificates</b>               |                                                          |
| Certification                     | CE, FCC, RoHS, REACH, ISO 9001                           |
| Compliance certificates           | RoHS, Federal Communications Commission (FCC), CE, REACH |
| <b>Power</b>                      |                                                          |
| Power over Ethernet (PoE)         | No                                                       |
| AC adapter input voltage          | 100 - 240 V                                              |
| Standby time                      | 166 h                                                    |
| Talk time                         | 21 h                                                     |
| <b>Battery</b>                    |                                                          |
| Battery technology                | Lithium-Ion (Li-Ion)                                     |
| Battery capacity                  | 1460 mAh                                                 |
| Battery voltage                   | 3.7 V                                                    |
| <b>Operational conditions</b>     |                                                          |
| Operating temperature (T-T)       | -10 - 50 °C                                              |
| Operating relative humidity (H-H) | 10 - 95%                                                 |
| Storage temperature (T-T)         | -30 - 70 °C                                              |
| <b>Weight &amp; dimensions</b>    |                                                          |
| Weight                            | 6.84 kg                                                  |
| Handset dimensions (WxDxH)        | 157 x 51 x 24 mm                                         |
| Base dimensions (WxDxH)           | 130 x 100 x 25.1 mm                                      |
| Package weight                    | 7.55 kg                                                  |
| <b>Packaging content</b>          |                                                          |
| Number of handles included        | 1 pc(s)                                                  |
| Base station                      | Yes                                                      |
| Ethernet cable                    | Yes                                                      |
| Handset                           | Yes                                                      |
| Manual                            | Yes                                                      |
| AC adapter included               | Yes                                                      |

|         |     |
|---------|-----|
| Charger | Yes |
|---------|-----|

**Matmenys ir svoris**

|                      |                             |
|----------------------|-----------------------------|
| Matmenys (l × P × A) | 10,00cm × 19,00cm × 22,00cm |
|----------------------|-----------------------------|

|        |        |
|--------|--------|
| Svoris | 0,70kg |
|--------|--------|