

Canon imageFORMULA DR-C230 Duplex Desktop Document Scanner

Gamintojas: **CANON** · Modelis: **2646C003** · EAN: **4528472107882** · Prekės kodas: **647235**



344,90 €

Kaina su PVM

Be PVM: **285,04 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scanner type: Sheet-fed scanner 600 x 600 DPI
- ✓ Colour scanning Duplex scanning
- ✓ A4 Scanning media types supported: Business Card, Plastic Card
- ✓ Maximum scan size: 216 x 3000 mm Sensor type: CMOS CIS
- ✓ USB port
- ✓ Power supply type: AC 19 W



Aprašymas

A compact document scanner with the speed, power and flexibility to thrive in the most-demanding and fast-paced environments.

Compact, modern design and powerful efficiency-driving features

Small stature, big performance – the imageFORMULA DR-C230 offers consummate reliability and supreme productivity, at an affordable price point. This robust desktop scanner captures multiple document formats and sizes with ease.

Premium performance

With scan speeds of up to 30ppm and 60ipm, the imageFORMULA DR-C230 offers exceptional productivity at a pleasantly modest price point.

Class-leading reliability

The DR-C230 has been engineered to ensure maximum dependability. Its 60-sheet ADF seamlessly feeds various media sizes, delivering up to 3,500

scans per day.

Simple, swift scanning

This convenient desktop model allows users to scan with a single button press, and offers useful features such as automatic page size and text direction detection.

Broad software selection

Featuring an impressive range of applications, the DR-C230 has the tool for every job, with CapturePerfect and CaptureOnTouch V4 Pro included.

Cost-effective operation

Consuming just 19W in operation and 1.4W in standby, the DR-C230 is both environmentally and fiscally efficient, without compromising on performance.

Techninė specifikacija

Specifications	
Sandėlio grupė	Peripherie & Desktop > Dokumenten-Scanner [+91][-45]
Scanning	
Maximum scan size	216 x 3000 mm
Optical scanning resolution	600 x 600 DPI
Duplex scanning	Yes
Colour scanning	Yes
Output colour depth	24 bit
Output greyscale depth	8 bit
Greyscale levels	256
ADF scan speed (b/w, A4)	30 ppm
ADF scan speed (colour, A4)	30 ppm
Duplex ADF scan speed (b/w, A4)	60 ipm
Duplex ADF scan speed (colour, A4)	60 ipm
Design	
Scanner type	Sheet-fed scanner
Built-in display	No
Product colour	Black
Performance	
Sensor type	CMOS CIS
Daily duty cycle (max)	3500 pages
Light source	RGB LED
Scan drivers	ISIS, TWAIN

Input capacity	
Standard input capacity	60 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Scanning media types supported	Business Card, Plastic Card
Multi feed detection	Yes
Media thickness (min)	0.06 mm
Maximum scan width	21.6 cm
Maximum scan length	3 m
Ports & interfaces	
USB port	Yes
USB version	2
Standard interfaces	USB 2.0
Power	
Power supply type	AC
Power consumption (typical)	19 W
Power consumption (standby)	1.4 W
Power consumption (off)	0.1 W
AC input frequency	50 - 60 Hz
Input voltage	100-240 V
Weight & dimensions	
Width	291 mm
Depth	253 mm
Height	231 mm
Weight	2.8 kg
Packaging content	
Cables included	AC, USB
AC adapter included	Yes
Sustainability	
Sustainability certificates	ENERGY STAR
System requirements	

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra
Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Operating relative humidity (H-H)	20 - 80%
Other features	
Scan media weight	27 - 209 g/m ²
Compliance certificates	RoHS
Logistics data	
Harmonized System (HS) code	84716070
Matmenys ir svoris	
Matmenys (I × P × A)	25,00cm × 29,00cm × 23,00cm