

InLine Interface card, 8x SATA 6Gb/s controller, PCIe 2.0 (PCI Express)

Gamintojas: **INLINE** · Modelis: **76617K** · EAN: **4043718302079** · Prekės kodas: **647952**



169,90 €

Kaina su PVM

Be PVM: **140,41 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Compliant with Serial SATA 3.0 specification, backward compatible with SATA2.0 & SATA1.0
- ✓ Compliant with PCI Express v2.0 specification, backward compatible with PCI Express v1.0.
- ✓ Supports AHCI
- ✓ Supports native command queue (NCQ)
- ✓ Supports port multiplier based on FIS switch or command switch
- ✓ Supports hot plug and hot swap
- ✓ Compatible with SATA6G, 3G and 1. 5G hard drives / SSD.



Aprašymas

Note:We refer to the website 'Drivers-Download' in the operating instructions included in the contents of delivery; this website has no connection with our company and is now being misused for phishing purposes.

We therefore strongly advise against using this website!

This interface card offers you the possibility to connect up to 8 SATA drives (HDD or SSD) to your PC. It is the perfect addition if the existing mainboard connections are no longer sufficient and you need a lot of storage space.

Specifications:

Compliant with Serial SATA 3.0 specification, backward compatible with SATA2.0 & SATA1.0

Compliant with PCI Express v2.0 specification, backward compatible with PCI Express v1.0.

Supports AHCI

Supports native command queue (NCQ)

Supports port multiplier based on FIS switch or command switch

Supports hot plug and hot swap

Compatible with SATA6G, 3G and 1. 5G hard drives / SSD.

Bus interface: PCI-Express x1 slot

Interface expansion: 8x SATA3.0 interfaces

System requirements: A PCI-Express x1 slot is required that also supports PCI-E x2 x4 x8 X16

Operating system: Windows 10/8/7 (32/64 bit) / Linux / MAC OS

Chipset: Asmedia ASM1182E + 2x ASM1064

Pack contents:

PCI-Express SATA controller, low-profile slot bracket, instructions

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Network > Network Adapters [+1948][-605]
Ports & interfaces	
Host interface	PCIe
Output interface	SATA
Expansion card form factor	Low-profile
Expansion card standard	PCIe 2.0
SATA revision	3
Internal SATA ports quantity	8
Design	
Internal	Yes
Product colour	Multicolour
Purpose	PC
System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64

Weight & dimensions

Width	165 mm
Depth	1.54 mm
Height	120 mm
Weight	2.5 kg

Packaging data

Quantity	1
Package width	165 mm
Package depth	175 mm
Package height	40 mm
Package weight	78 g

Other features

Data transfer rate	6000 Mbit/s
Dimensions (WxDxH)	165 x 1.54 x 120 mm