

ASUS SDRW-08D2S-U Lite optical disc drive DVD±RW Black

Gamintojas: **ASUS** · Modelis: **90-DQ0435-UA221KZ** · EAN: **4716659385066** · Prekės kodas: **648287**



47,90 €

Kaina su PVM

Be PVM: **39,59 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Desktop/Laptop DVD±RW USB 2.0
- ✓ Tray Mounting: Horizontal
- ✓ CD, CD-R, CD-ROM, CD-RW, DVD, DVD+R, DVD+R DL, DVD+RW, DVD-R, DVD-R DL, DVD-RAM, DVD-ROM, DVD-RW
- ✓ Black



Aprašymas

Double security on-the-go

Disc Encryption doubles the security with Password-controlled and hidden-file functionality.

3 easy steps to complete disc burning

Drag-and-burn interface accomplishes entire jobs in three easy steps.

Bright and Dazzling Design

Elegant appearance embody the harmonious marriage of technology and aesthetics.

Techninė specifikacija

Specifications

Sandėlio grupė

Desktop > Laufwerke [+54][-21]

Design

Internal

No

Product colour

Black

Disc loading type

Tray

Mounting

Horizontal

Performance

Purpose

Desktop/Laptop

Optical drive type

DVD±RW

Interface

USB 2.0

Disc types supported

CD, CD-R, CD-ROM, CD-RW, DVD, DVD+R, DVD+R DL, DVD+RW, DVD-R, DVD-R DL, DVD-RAM, DVD-ROM, DVD-RW

Optical disc diameter

80,120 mm

Writing speed

CD write speed

24x

DVD+R write speed

8x

CD-R write speed

24x

CD-RW write speed

24x

DVD-R write speed

8x

DVD-R Double Layer write speed

6x

DVD+R Double Layer write speed

6x

DVD+RW write speed

8x

DVD-RW write speed

6x

DVD+R M-DISC write speed

4x

Reading speed

CD read speed

24x

CD-R read speed

24x

CD-ROM read speed

24x

DVD+R read speed

8x

DVD-R read speed

8x

DVD-RW read speed

8x

DVD-ROM read speed

8x

DVD-R Double Layer read speed

8x

DVD+R M-DISC read speed

8x

DVD+R Double Layer read speed

8x

DVD+RW read speed	8x
Access time	
DVD drive average random access time	160 ms
CD-ROM drive average random access time	140 ms
Record modes	
Track-at-once (TAO)	Yes
Disc-at-once (DAO)	Yes
Session-at-once (SAO)	Yes
Packet writing	Yes
Sequential writing	Yes
Random write	Yes
Operational conditions	
Operating relative humidity (H-H)	15 - 80%
Operating temperature (T-T)	5 - 40 °C
Storage temperature (T-T)	-30 - 60 °C
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	142 mm
Depth	142 mm
Height	20 mm
Weight	280 g
Packaging content	
Bundled software	Cyberlink Power2Go 7 E-Green
Other features	
Power requirements	5V
Minimum RAM	512 MB
Minimum processor	Intel Pentium 4, 2.0GHz, AMD Athlon™ 2100+
Minimum storage drive space	10 GB
Compatible operating systems	Windows 7 Windows Vista Windows XP Windows Server 2003 Windows Server 2008 Mac OS X 10.5
USB 2.0 ports quantity	1
Number of products included	1 pc(s)
USB required	Yes
Number of optical discs	1 discs

Technical details

Export Control Classification Number (ECCN) EAR99

Logistics data

Harmonized System (HS) code 84717030