ASUS SBC-06D2X-U optical disc drive Blu-Ray DVD Combo Black

Gamintojas: **ASUS** · Modelis: **90-DT00205-UA219KZ** · EAN: **4719543417195** · Prekės kodas: **648290**



182.90€

Kaina su PVM

Be PVM: **151.16€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Desktop Blu-Ray DVD Combo USB 2.0
- ✓ Mounting: Horizontal/Vertical
- ✓ BD-R, BD-R DL, BD-RE, BD-RE DL, BD-ROM, CD, CD-R, CD-ROM, CD-RW, DVD, DVD+R, DVD+R DL, DVD+RW, DVD-R, DVD-R DL, DVD-RAM, DVD-ROM, DVD-RW
- ✓ Black

Aprašymas

BDXL Support - Better Disc Compatibility

- BDXL format support.
- Extreme 6X Blu-ray reading speed.
- Blu-ray 3D support, 2D to 3D DVD conversion, DVD upscaling to HD 1080p.
- Dolby EX and DTS-HD (5.1 channels).
- 2011 iF Design Award.
- 2012 Taiwan Excellence Award.

BDXL™ Format Support

BDXL read only format allows users to read huge amount of data on a single Blu-ray disc, up to 100GB on BD-R(TL) and 128GB on BD-R(QL).

The Best Burning Quality

Auto Tuning Power technology ensures optimized power to burn a disc with the best quality.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Double the Security On-the-Go

Disc Encryption II doubles the security with password-controls and hidden-file function, protecting important user data.

Drag-and-Burn

Friendly interface with only three simple steps to burn a disc, making the process easier than ever.

Blu-ray 3D Support

Eye-popping Blu-ray 3D ™ video and 3D photo.

2D to 3D DVD Conversion

Transform 2D video and photo into 3D effect.

High Definition Upscaling

Magic Cinema boosts DVD video to full HD 1080p.

Refresh Your Listening Experience

Dolby Digital EX & DTS-HD audio (5.1 channels).

Flexible Dual Positioning

Vertical and horizontal two-way placement.

Award Winning Design

The 2011 iF Design Award product design is inspired from miniaturized architectual forms, using elegant squared lines and a unique stand.

Techninė specifikacija

Design	
Internal	No
Product colour	Black
Mounting	Horizontal/Vertical
Performance	
Purpose	Desktop
Optical drive type	Blu-Ray DVD Combo
Interface	USB 2.0
Disc types supported	BD-R, BD-R DL, BD-RE, BD-RE DL, BD-ROM, CD, CD-R, CD-ROM, CD-RW, DVD, DVD+R, DVD+R DL, DVD+RW, DVD-R, DVD-R DL, DVD-RAM, DVD-ROM, DVD-RW
LightScribe	No
Drive device, buffer size	5.8 MB

Optical disc diameter	80,120 mm
Writing speed	
DVD+R write speed	8x
CD-R write speed	24x
CD-RW write speed	16x
DVD-R write speed	8x
DVD-R Double Layer write speed	6x
DVD+R Double Layer write speed	6x
DVD+RW write speed	8x
DVD-RW write speed	6x
DVD-RAM write speed	5x
Reading speed	
CD-R read speed	24x
CD-RW read speed	24x
CD-ROM read speed	24x
BD-ROM read speed	6x
BD-R Dual Layer read speed	6x
BD-R read speed	6x
BD-RE Dual Layer read speed	6x
BD-RE read speed	6x
DVD+R read speed	8x
DVD-R read speed	8x
DVD-RW read speed	8x
DVD-ROM read speed	8x
DVD-R Double Layer read speed	6x
DVD+R Double Layer read speed	6x
DVD+RW read speed	8x
Access time	
DVD drive average random access time	180 ms
CD-ROM drive average random access time	190 ms
BD-ROM average random access time	230 ms
Record modes	
Track-at-once (TAO)	Yes
Disc-at-once (DAO)	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Session-at-once (SAO)	Yes
Packet writing	Yes
Sequential writing	Yes
Random write	Yes
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Operational conditions	
Operating relative humidity (H-H)	15 - 80%
Operating temperature (T-T)	5 - 40 °C
Storage temperature (T-T)	-30 - 60 °C
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	140 mm
Depth	157 mm
Height	18.5 mm
Weight	335 g
Other features	
Power requirements	USB, 5 V
Minimum system requirements	USB 2.0 Intel Pentium D945, 3.4GHz 1GB RAM NVIDIA GeForce 7600 GT/ATI X1600
Compatible operating systems	Windows 7 Windows Vista Windows XP Windows Server 2003 Windows Server 2008 Mac OS X 10.6+
Number of products included	1 pc(s)
Logistics data	
Harmonized System (HS) code	84717030

Dokumentai ir vaizdo įrašai

› Vaizdo įrašas objects.icecat.biz/objects/13381128_20262238.mp4

Gamintojo ir saugos informacija

MANUFACTURER

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

EU RESPONSIBLE PERSON

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.