

ASUS RT-AC2900 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Black

Gamintojas: **ASUS** · Modelis: **90IG0401-BU9010** · EAN: **4712900798531** · Prekės kodas: **648295**



64,90 €

Kaina su PVM

Be PVM: **53,64 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Tabletop router Black
- ✓ Dual-band (2.4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) 2917 Mbit/s
- ✓ Gigabit Ethernet
- ✓ Ethernet WAN
- ✓ Ethernet LAN (RJ-45) ports: 4
- ✓ USB port
- ✓ Web-based management Quality of Service (QoS) support



Techninė specifikacija

Specifications

Sandėlio grupė

Server/Storage/Network > Access Points/Routers [+1151][-307]

WAN connection

Ethernet WAN

Yes

DSL WAN

No

SIM card slot

No

3G/4G USB modem compatibility	No
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max)	2917 Mbit/s
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Modulation	1024-QAM
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Port forwarding	Yes
VPN Passthrough	Yes
VPN support	IPSec Pass-Through PPTP Pass-Through L2TP Pass-Through PPTP server OpenVPN server PPTP client L2TP client OpenVPN client
Ports & interfaces	
Ethernet LAN (RJ-45) ports	4
USB port	Yes
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Memory card slot(s)	No
DC-in jack	Yes
Management features	
Web-based management	Yes
Quality of Service (QoS) support	Yes
Reset button	Yes
WPS push button	Yes
Security	
Security algorithms	64-bit WEP, 128-bit WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPS
Firewall	Yes
Guest access	Yes
Filtering	Yes
MAC address filtering	Yes
URL filtering	Yes
System event log	Yes

DMZ support	Yes
Protocols	
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Supported network protocols	TCP/IPv4, TCP/IPv6
Design	
Product type	Tabletop router
Product colour	Black
LED indicators	LAN, Power, WAN, WLAN, WPS
On/off switch	Yes
Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	Yes
Quick start guide	Yes
Antenna	
Antenna design	Internal & external
Antennas quantity	4
Features	
Built-in processor	Yes
Processor frequency	1800 MHz
Processor cores	2
Firmware upgradeable	Yes
Power	
Power source type	AC
AC input voltage	110 - 240 V
Output voltage	19 V
Output current	1.75 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	0 - 70 °C
Operating relative humidity (H-H)	50 - 90%
Storage relative humidity (H-H)	20 - 90%
System requirements	
Windows operating systems supported	Windows 10, Windows 7, Windows 8

Linux operating systems supported	Yes
Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
Mac compatibility	Yes
Weight & dimensions	
Width	220 mm
Depth	83.3 mm
Height	160 mm
Weight	872 g