

ASUS RT-AC1900U belaidis maršrutizatorius Gigabitinis eternetas Dviguba juosta (2,4 GHz / 5 GHz) Juoda

Gamintojas: **ASUS** · Modelis: **90IG04K0-BU9000** · EAN: **4712900833263** · Prekės kodas: **648297**



37,90 €

Kaina su PVM

Be PVM: **31,32 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Stalinis maršrutizatorius Juoda
- ✓ Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 5 (802.11ac) 1900 Mbit/ai
- ✓ Gigabitinis eternetas
- ✓ Eterneto WAN DSL WAN
- ✓ Ethernet LAN (RJ-45) portų kiekis: 4
- ✓ USB prievadas
- ✓ Web pagrįstas valdymas Paslaugos kokybės (QoS) palaikymas



Aprašymas

Incredible performance with incredible control!

ASUS RT-AC1900U dual-band wireless-AC1900 gigabit router delivers incredible performance and coverage range. With new ASUSWRT UI, quickly setup your network, customize user access, and monitor signal strength. The RT-AC1900U concurrent both 5 GHz and 2.4 GHz transmission up to 1900 Mbps that makes it ideal for bandwidth demanding tasks such as 3D HD video streaming, multiplayer gaming, USB hard drive file sharing, and USB connected printer sharing. Built-in Wi-Fi amplifiers make the RT-AC1900U the perfect wireless router for larger, multi-level homes and buildings with signal range that reaches virtually any area.

World's fastest AC Wi-Fi with TurboQAM™ Wi-Fi

Powered by 5th generation Wi-Fi (5G Wi-Fi), the new 802.11ac chipset gives the RT-AC1900U superfast Gigabit wireless speeds. What's more, RT-AC1900U uses TurboQAM™ technology to upgrade 2.4G Wi-Fi even further to give you unprecedented speeds. At 2.4GHz, it's 33% faster than generic wireless-N900 routers, reaching 600 Mbps, while on the 5GHz band it blazes to 1300Mbps – or triple 802.11n rates. That's 1900 Mbps of concurrent wireless power!

Do more at once with dual-core processors inside

The ASUS RT-AC1900U features a dual-core processor that eliminates the performance drops that plague other routers. So even on the busiest home networks, HD video streaming is smooth, the latency low for online gaming and VoIP calls, and file downloads are uninterrupted.

Unbeatable Wi-Fi coverage

With the powerful antenna design, both Wi-Fi range and signal stability improve dramatically. AiRadar beamforming further focuses Wi-Fi signal on your devices, making your Wi-Fi faster, clearer and stronger.

Powerful Whole-home Wi-Fi System.

The Way You Want.

In most cases, your RT-AC1900U can deliver smooth, reliable Wi-Fi to every part of your home. But Wi-Fi coverage can be affected by many factors — room layout, construction materials, and even furnishings. ASUS AiMesh is an innovative new router feature that fixes these problems: it creates a whole-home Wi-Fi network using multiple ASUS routers. AiMesh is powerful, flexible and you can use a mix of ASUS router models — protecting your investment! AiMesh gives you time-saving central control, and seamless roaming capability. AiMesh is Wi-Fi you can rely on — for all your devices, all the time!

- Turn your ASUS routers into whole-home Wi-Fi system with a simple firmware update
- Mix and match preferred models from selected ASUS routers
- Create a Wi-Fi network with either a single SSID or multiple SSIDs
- All router features works across the entire Wi-Fi system

Ultimate USB speed and versatility

USB 3.0 features data transfers up ten times faster than USB 2.0. Two USB ports make the RT-AC1900U perfect for file, multimedia, and 3G/4G sharing, while ASUS AiDisk offers remote access and quick content streaming. Where other routers have their USB ports sandwiched next to one another, both RT-AC1900U USB ports are evenly spaced for easy access to either at all times.

ASUS Router APP Control Your Network Anywhere

In your increasingly mobile-enabled life, having control over your network via an app is more important than ever. The new ASUS Router App is built from the ground-up to be both intuitive and robust, allowing you to setup your router, manage network traffic, diagnose connection issues and even update firmware, all without needing to boot up a PC.

AiProtection

Your Digital Playground is Protected

ASUS AiProtection powered by Trend Micro™ improves your online safety and security by combining automatic vulnerability detection, malicious site blocking and parental controls. Advanced parental controls help you to prevent users from visiting inappropriate websites, for example keeping young children safe from viewing adult content. You can also restrict the times that each device or guest account can access the internet, by applying scheduled time limits.

Keep Up to Date!

Remember to always keep your device's firmware up to date so you can benefit from the very latest service and security enhancements — and get exciting new features!

Techninė specifikacija

WAN jungtis

Eterneto WAN	Taip
DSL WAN	Taip
SIM kortelės anga	Ne
3G/4G USB modemo suderinamumas	Ne

Belaidžio interneto funkcijos

„Wi-Fi“ dažnių juosta	Dviguba juosta (2,4 GHz / 5 GHz)
„Wi-Fi“ standartas	Wi-Fi 5 (802.11ac)
WLAN duomenų perdavimo sparta (maks.)	1900 Mbit/ai
Wi-Fi standartai	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)
WLAN duomenų perdavimo sparta (pirmoji juosta)	600 Mbit/ai
WLAN duomenų perdavimo sparta (antroji juosta)	1300 Mbit/ai
Kanalų dažnių juostos plotis	20 MHz

Tinklas

Ethernet LAN jungtis	Taip
Eterneto LAN sąsajos tipas	Gigabitinis ethernetas
Eterneto LAN duomenų perdavimo norma	10,100,1000 Mbit/ai
Kabelių technologija	10/100/1000Base-T(X)
Tinklo standartai	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11d, IEEE 802.11g, IEEE 802.11n
Srauto kontrolės palaikymas	Taip
Portų ekspedijavimas	Taip
Automatinis kanalo pasirinkimas	Taip
VPN perėjimas	Taip
VPN palaikymas	Automatic IP PPPoE PPTP Pass-Through L2TP Pass-Through IPSec Pass-Through RTSP Pass-Through

Ryšys

Ethernet LAN (RJ-45) portų kiekis	4
USB prievadas	Taip
USB 2.0 portų kiekis	1
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	1
Atminties kortelių anga(-os)	Ne
DC įėjimo lizdas	Taip

Valdymo funkcijos

Web pagrįstas valdymas	Taip
Žiniatinkliu pagrįstas nustatymų vedlys	Taip
Paslaugos kokybės (QoS) palaikymas	Taip
Atstatymo mygtukas	Taip
WPS paspaudžiamasis mygtukas	Taip

Saugumas

Apsaugos algoritmų palaikymas	64-bit WEP, 128-bit WEP, HTTPS, SSID, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK
Autentifikavimo metodas	RADIUS
Ugniasienė	Taip
Firewall apsauga	Parental control
Svečių prieiga	Taip
Prievadu paremto tinklo prieigos kontrolė (PNAC)	Taip
„Stateful Packet Inspection“ (SPI)	Taip
DoS atakos prevencija	Taip
Filtravimas	Taip
MAC adresų filtravimas	Taip
Adreso lentelės dydis	32 įrašai
IP adreso filtravimas	Taip
URL filtravimas	Taip
Sistemos įvykių žurnalas	Taip
DMZ palaikymas	Taip
Tinklo adresų transliavimas (NAT)	Taip
NAT funkcionalumas	PPTP Pass-Through L2TP Pass-Through IPSec Pass-Through RTSP Pass-Through

Protokolai

DHCP klientas	Taip
DHCP serveris	Taip

Universali „Plug and Play“ jungtis (UPnP)	Taip
Valdymo protokolai	IGMP v1/v2/v3
Palaikomi tinklo protokolai	IPv4, IPv6
Konstrukcija	
Gaminio tipas	Stalinis maršrutizatorius
Produkto spalva	Juoda
Korpuso medžiaga	Akilonitrilo butadieno stirenas (ABS)
Montuojamas ant sienos	Taip
Indikacijos šviesa	Taip
LED indikatoriai	LAN, Energija, WAN, WLAN
On/off mygtukas	Taip
Sertifikatai	
Sertifikavimas	CE
Pakuotės turinys	
Pridėti kabeliai	LAN (RJ-45)
Kintamosios srovės adapteris	Taip
Instrukcija	Taip
Greitos pradžios vadovas	Taip
Antena	
Antenos konstrukcija	Išorinis
Antenos jungties tipas	SMA dipole
Antenos stiprinimo lygis (max)	3,28 dBi
Antenų kiekis	3
Savybės	
„Plug and Play“ funkcija	Taip
Firmware tobulinimas	Taip
Energijos valdymas	
Maitinimo šaltinio tipas	AC, DC
AC įėjimo įtampa	100 - 240 V
Išėjimo įtampa	19 V
Išėjimo srovė	1,75 A
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 40 °C
Sandėliavimo temperatūros norma (T-T)	0 - 70 °C

Darbo santykinės drėgmės diapazonas	50 - 90%
-------------------------------------	----------

Sandėliavimo santykinis drėgmės diapazonas	20 - 90%
--	----------

Sistemos reikalavimai

Palaikomos „Windows“ operacinės sistemos	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
--	---

Palaikoma operacinė sistema „Linux“	Taip
-------------------------------------	------

Palaikomos MAC operacinės sistemos	Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, „Mac OS X 10.4 Tiger“, „Mac OS X 10.5 Leopard“, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
------------------------------------	---

Mac suderinamumas	Taip
-------------------	------

Svoris ir matmenys

Plotis	218 mm
--------	--------

Ilgis	148 mm
-------	--------

Aukštis	45 mm
---------	-------

Svoris	660 g
--------	-------

Pakuotės duomenys

Pakuotės tipas	„Box“
----------------	-------

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Greitos pradžios vadovas

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt