

ASUS ExpertWiFi EBG19P wired router Gigabit Ethernet White

Gamintojas: **ASUS** · Modelis: **90IG08C0-MO3B00** · EAN: **4711387094037** · Prekės kodas: **648315**



220,90 €

Kaina su PVM

Be PVM: **182,56 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Power over Ethernet — 8 PoE ports capable of delivering up to 123 watts of power offer a convenient solution for powering various PoE-enabled devices
- ✓ VLAN for Added Security — Each of the Ethernet ports can be assigned to one or more VLAN IDs that provides additional security for your business
- ✓ Up to 3 WAN Ethernet Ports - 1 gigabit WAN port and 2 gigabit WAN/LAN ports with load balancing optimize multi-line broadband usage. Besides, the USB port can be used as a backup WAN by connecting it to a mobile phone with hotspot to maintain a reliable internet connection
- ✓ Device Management Made Easy — Conveniently centralized control over the PoE devices like EBA63 connected to the EBG19P
- ✓ Commercial-Grade Network Security and VPN — Secure public WiFi connections with Safe Browsing and VPN features. Enjoy a free-subscription ASUS AiProtection Pro, including robust intrusion prevention system (IPS) features like deep packet inspection (DPI) and virtual patching to block malicious traffic



Aprašymas

ASUS ExpertWiFi EBG19P Gigabit PoE+ VPN Wired Router

Your Business Network Expert Within Reach

The ASUS ExpertWiFi EBG19P provides a fast, secure and scalable network with rich features tailored for small-to-midsized businesses. EBG19P enhances network stability through Ethernet connectivity and provides internet backup with two WAN/LAN ports and one USB port to support

business operations. As businesses expand, owners can connect the EBG19P to the access point for broader coverage, ensuring the scalability and extendability of ExpertWiFi.

Fast, Versatile Connectivity to Accommodate the Business Scenarios

For a larger or multi-story space, you can build a strong and stable network by connecting the EBG19P gigabit PoE+ VPN wired router to five EBA63 PoE access points. If you require additional network coverage, you can easily add more EBA63 units to your existing business network.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server/Storage/Network > Access Points/Routers [+1151][-307]
WAN connection	
Ethernet WAN	Yes
SIM card slot	No
3G/4G USB modem compatibility	Yes
Network	
Networking standards	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
Ethernet interface type	Gigabit Ethernet
Static route	Yes
VLAN support	Yes
Traffic control	Yes
Port forwarding	Yes
Mobile network	
Mobile network generation	5G
4G standard	LTE
Management features	
Web-based management	Yes
Quality of Service (QoS) support	Yes
Wake-on-LAN ready	Yes
Reset button	Yes
Firmware upgradeable	Yes
Ports & interfaces	
Ethernet LAN (RJ-45) ports	8
WAN/Ethernet LAN ports quantity	2
WAN ports quantity	1
USB ports quantity	1

USB version	3.2 Gen 1 (3.1 Gen 1)
Protocols	
DHCP server	Yes
DMZ support	Yes
Security	
Security algorithms	IPSec, SSH
Firewall	Yes
Firewall security	Maximum Firewall Keyword Filter :64 • Maximum Firewall Network Service Filter :32 • Maximum Firewall URL Filter : 64
Access Control List (ACL)	Yes
Guest access	Yes
System event log	Yes
VPN support	VPN Client L2PT VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN Server Open VPN VPN Server PPTP VPN Server WireGuard VPN Fusion Support Surfshark
NAT functionality	PPTP Pass-Through • L2TP Pass-Through • IPSec Pass-Through • RTSP Pass-Through • H.323 Pass-Through • PPPoE Relay
Packaging content	
AC adapter included	Yes
Cables included	LAN (RJ-45)
Quick start guide	Yes
Features	
Built-in processor	Yes
Processor manufacturer	ARM
Processor model	ARMv8
Processor frequency	1800 MHz
Flash memory	256 MB
Internal memory	512 MB
Design	
Product colour	White
LED indicators	Power, USB
Antenna	
Antenna type	Internal
Antennas quantity	1
Power	

Power consumption (typical)	123 W
AC input voltage	110 - 240 V
AC input frequency	50/60 Hz
Output voltage	54 V
Output current	2.278 A
Power over Ethernet (PoE)	Yes
Weight & dimensions	
Width	212 mm
Depth	95 mm
Height	26 mm
Weight	530 g
Packaging data	
Package width	281 mm
Package depth	194 mm
Package height	94 mm
Package weight	1.9 kg
Package type	Box
Matmenys ir svoris	
Matmenys (I × P × A)	10,00cm × 21,00cm × 3,00cm
Svoris	0,53kg