

ACT 2-port USB-C Fast Car Charger 45W with Power Delivery

Gamintojas: ACT · Modelis: AC2200 · EAN: 8716065489880 · Prekės kodas: 648841



34,90 €

Kaina su PVM

Be PVM: 28,84 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Charge up to 2 USB-C devices at the same time in your car or truck
- ✓ Power Delivery support max. 45W: 1x 20W port and 1x 25W port
- ✓ Fast charging: up to 50% charged in 30 minutes
- ✓ Supports fast charging for the latest generation Apple and Android smartphones and tablets (with PD support)
- ✓ Charging stops automatically when battery is full
- ✓ For cars and trucks: 12V-24V



Aprašymas

Charge up to 2 USB-C devices at the same time with the AC2200 USB-C Car Charger. The car charger is equipped with 45W Power Delivery and supports fast charging for Apple and Android smartphones and tablets. Because of the 12V-24V the USB-C charger is suitable for use in cars and trucks.

Power Delivery support 45W

The AC2200 USB-C Car Charger supports 45W Power Delivery and has two USB-C ports: one 20W port and one 25W port. The USB car charger negotiates with the connected smartphone/tablet to find the most suitable and fast charging profile.

For Apple devices and Android devices with Power Delivery support

The USB-C Car Charger is designed to charge the latest iPhones/iPads and Android devices (with Power Delivery support). Connect your device to the ACT USB-C Car Charger and it will be charged up to 50% in only 30 minutes.

Suitable for cars and trucks

Use the AC2200 USB charger in both cars and trucks (12V-24V) by connecting the charger to the accessory socket.

Techninė specifikacija

Specifications	
Sandėlio grupė	Smartphone/Phone > USB Chargers [+31][-5]
Performance	
Charger type	Auto
Charger compatibility	Universal
Power source type	Cigar lighter
USB Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
Design	
Product colour	Black
Power	
Input voltage	12 - 24 V
Maximum power	45 W
Maximum output voltage	12 V
Minimum output voltage	5 V
Port 1 output power	20 W
Port 2 output power	25 W
Output current (5V)	3 A
Output current (9V)	2.44 A
Output current (12V)	2.25 A
Weight & dimensions	
Diameter	3.16 cm
Depth	73.4 mm
Packaging data	
Package width	83 mm
Package depth	35 mm
Package height	100 mm
Package weight	55 g
Package type	Hanging box

Packaging content

Quantity per pack

1 pc(s)