

TP-Link Archer GE230 wireless router 2.5 Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz)

Gamintojas: **TP-LINK** · Modelis: **ARCHER GE230** · EAN: **1210002601771** · Prekės kodas: **649334**



188,91 €

Kaina su PVM

Be PVM: **156,12 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Dual-band (2.4 GHz / 5 GHz) Wi-Fi 7 (802.11be) 3570 Mbit/s
- ✓ 2.5 Gigabit Ethernet
- ✓ Ethernet WAN
- ✓ Ethernet LAN (RJ-45) ports: 5
- ✓ USB port
- ✓ Quality of Service (QoS) support



Aprašymas

Flawless Gaming Experience Powered by 3.6 Gbps Wi-Fi 7

Archer GE230 is built to future-proof your gaming with Wi-Fi 7, delivering a super-smooth gaming experience with 4K-QAM and Multi-Link Operation achieving combined speeds of up to 3.6 Gbps.

Empowering your Games with Multi-Gigabit Connectivity

Dedicated Gaming Port

Automatically prioritizes your game device traffic, delivering 2.5G ultra-fast speed.

Unstoppable Turbo Game Acceleration

Archer GE230 enhances your gaming experience by providing advanced acceleration for applications and devices, while intelligently selecting the optimal traffic path for your game connections.

Flexibly Create Whole Home Mesh WiFi

Archer GE230 is EasyMesh-compatible. If you have any dead zones at home, just add another EasyMesh router/range extender to further form your whole home multi-gigabit mesh Wi-Fi. No more searching for a stable connection.

KEEP EVERYTHING SECURE

Archer GE230 features HomeShield, with a series of built-in services to provide comprehensive antivirus protection that ensures your total security while gaming online.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server/Storage/Network > Access Points/Routers [+1151][-307]
WAN connection	
Ethernet WAN	Yes
DSL WAN	No
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 7 (802.11be)
WLAN data transfer rate (max)	3570 Mbit/s
Wi-Fi standards	Wi-Fi 7 (802.11be)
WLAN data transfer rate (first band)	688 Mbit/s
WLAN data transfer rate (second band)	2882 Mbit/s
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	2.5 Gigabit Ethernet
Ethernet LAN data rates	1000,2500 Mbit/s
Port forwarding	Yes
Port triggering	Yes
Dynamic DNS (DDNS)	Yes
PPPoE/PPTP/L2TP pass-through	Yes
Ports & interfaces	
Ethernet LAN (RJ-45) ports	5
USB port	Yes
USB 2.0 ports quantity	1
Management features	
Quality of Service (QoS) support	Yes

Reset button	Yes
WPS push button	Yes
Security	
Security algorithms	WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3
IGMP snooping	Yes
DMZ support	Yes
Network address translation (NAT)	Yes
Protocols	
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Certificates	
Certification	CE, FCC, RoHS
Antenna	
Antenna design	External
Antennas quantity	4
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	266.8 mm
Depth	153.1 mm
Height	58.6 mm