

TP-Link AC750 Wireless Dual Band 4G LTE Router

Gamintojas: **TP-LINK** · Modelis: **ARCHER MR200 V4** · EAN: **8592978186456** · Prekės kodas: **649336**



110,90 €

Kaina su PVM

Be PVM: **91,65 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Shares your 4G LTE network with multiple Wi-Fi devices and enjoy download speeds of up to 150Mbps
- ✓ Powerful, integrated antennas provide stable wireless connections and better coverage
- ✓ Requires no configuration, just insert a SIM card and turn it on to enjoy a fast wireless connection
- ✓ Creates simultaneous dual band Wi-Fi networks, with maximum speeds of up to 300Mbps on the 2.4GHz band and 433Mbps on the 5GHz band
- ✓ Offers options and flexibility with the LAN/WAN port, allowing you to choose your connection type



Aprašymas

Enjoy 4G Wireless Sharing Everywhere
AC750 Wireless Dual Band 4G LTE Router

Archer MR200

Got SIM Card?

Then Plug and Play!

With an integrated 4G LTE modem and a built-in SIM card slot, all you need to do insert a SIM card and turn on the Archer MR200. Enjoying fast, stable Wi-Fi on a 4G LTE network has never been easier.

Share Your 4G LTE Network

Take full advantage of your cutting-edge 4G LTE network with the Archer MR200, which allows you to share network with multiple devices so you can enjoy uninterrupted HD movies, rapid file downloads that won't freeze up. It is also fully compatible with FDD-LTE and TDD-LTE, which are supported by most operators around the world.

Internet Access for up to 64 Devices Simultaneously

The Archer MR200 can easily share a 3G/4G connection with up to 64 wireless devices like tablets, laptops and mobile phones at the same time. It can also provide internet access for desktop computers via the LAN ports.

Wi-Fi Where You Need It

The Archer MR200 offers unmatched convenience and versatility. The ability to quickly establish powerful wireless networks can be tremendously important. The Archer MR200 is the perfect solution whether you're at home or working in a remote location. Just plug it in to boost on-site productivity and stay connected in a diverse range of environments. From the exhibition center to the RV, the Archer MR200 has you covered.

Easy Management

Set up the Archer MR200 in minutes thanks to its intuitive web interface and the powerful Tether app. Manage network settings, including Parental Controls and Access Control from any Android or iOS device. Control your home network whenever and wherever you are.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server/Storage/Network > Access Points/Routers [+1151][-307]
WAN connection	
Ethernet WAN	Yes
DSL WAN	No
SIM card slot	Yes
3G/4G USB modem compatibility	Yes
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max)	733 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN data transfer rate (first band)	300 Mbit/s
WLAN data transfer rate (second band)	433 Mbit/s
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Cabling technology	10/100Base-T(X)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n

Port forwarding	Yes
Dynamic DNS (DDNS)	Yes
VPN tunnels quantity	10
VPN Passthrough	Yes
VPN support	PPTP VPN, IPSec VPN, OpenVPN
Receiver sensitivity	5GHz: 11a 54M: -74dBm 11ac HT20: -67dBm 11ac HT40: -64dBm 11ac HT80: -60dBm 11n HT20: -71dBm 11n HT40: -70dBm 2.4G: 11g 54M: -73dBm 11n HT20: -73dBm 11n HT40: -67dBm

Mobile network

Mobile network generation	4G
3G	Yes
4G	Yes
3G standards	DC-HSPA+, HSPA, HSPA+, UMTS
4G standard	LTE
4G bands supported	800,900,1800,1900,2100,2300,2500,2600 MHz
3G bands supported	900,2100 MHz

Ports & interfaces

Ethernet LAN (RJ-45) ports	4
USB port	No
Memory card slot(s)	No
DC-in jack	Yes

Management features

Web-based management	Yes
Quality of Service (QoS) support	Yes
Reset button	Yes

Security

Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Firewall	Yes
Guest access	Yes
Stateful Packet Inspection (SPI)	Yes
DoS attack prevention	Yes
Filtering	Yes
MAC address filtering	Yes
IP address filtering	Yes
URL filtering	Yes

DMZ support	Yes
Protocols	
DHCP client	Yes
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Supported network protocols	IPv4, IPv6
Design	
Product type	Tabletop router
Product colour	Black
Housing material	Plastic
Wall mountable	Yes
Indication light	Yes
LED indicators	LAN, Power, WAN, WLAN
On/off switch	Yes
Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	Yes
Quick installation guide	Yes
Quick start guide	Yes
Antenna	
Antenna design	External
Antennas quantity	2
Detachable antenna(s)	Yes
Features	
Built-in processor	Yes
Plug and Play	Yes
Power	
Power source type	DC
Output voltage	12 V
Output current	1 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%

Storage relative humidity (H-H)	5 - 90%
---------------------------------	---------

System requirements

Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Linux operating systems supported	Yes
Mac operating systems supported	macOS
Mac compatibility	Yes

Weight & dimensions

Width	174 mm
Depth	124.5 mm
Height	33.5 mm

Packaging data

Package width	307 mm
Package depth	223 mm
Package height	70 mm
Package weight	670 g

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------