

TP-Link Archer AX1800 belaidis maršrutizatorius Gigabitinis eternetas Dviguba juosta (2,4 GHz / 5 GHz) 5G Balta

Gamintojas: **TP-LINK** · Modelis: **ARCHER NX200** · EAN: **8885020622485** · Prekės kodas: **649342**



265,90 €

Kaina su PVM

Be PVM: **219,75 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Stalinis maršrutizatorius Balta
- ✓ Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) 1800 Mbit/ai
- ✓ Gigabitinis eternetas
- ✓ Eterneto WAN SIM kortelės anga
- ✓ Ethernet LAN (RJ-45) portų kiekis: 3
- ✓ Paslaugos kokybės (QoS) palaikymas
- ✓ MU-MIMO technologija



Aprašymas

Unrivaled Speed with 5G, Revolutionary Experience

Take advantage of your advanced 5G network with download speeds up to 4.67 Gbps. Share your 5G network with multiple Wi-Fi devices and enjoy uninterrupted Ultra HD movies, blazingly fast file downloads, and smooth video chats and video conferences. At the same time, NX200 is backward compatible with 4G mode.

Plug and Play, Enjoy 5G Network Everywhere

Simple, just one SIM card

Traditional broadband or cable installation is expensive and time-consuming for your vacation home, farm, or suburban warehouse. Long contract periods also create headaches for short-rentals, pop-up venues, and temporary shops to access the internet. Archer NX200 ensures a comfortable and no-block network installation. Plug in your SIM card and enjoy high-speed internet!

Powerful Wi-Fi 6

Armed with WiFi 6 technology, NX200 is designed to deliver a huge boost in coverage, speed, and total capacity. Get on the latest mesh WiFi to enjoy the future network that loads faster and connects more.△

EasyMesh-Compatible Networking

Mesh networking creates smooth, fast, stable roaming. Eliminate Wi-Fi dead zones, expand your network, and fill your entire home with high-speed Wi-Fi.*

Available WAN Connection

The gigabit WAN/LAN port enables NX200 to work as a traditional wireless router which is compatible with cable, fiber, and DSL modems. And when it's set as a wireless router, its 5G/LTE connection works as a backup to provide a sustained and reliable internet connection for you.

Techninė specifikacija

WAN connection	
Ethernet WAN	Yes
SIM card slot	Yes
3G/4G USB modem compatibility	No
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (max)	1201 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN data transfer rate (first band)	574 Mbit/s
WLAN data transfer rate (second band)	1201 Mbit/s
Modulation	1024-QAM
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Port triggering	Yes
Dynamic DNS (DDNS)	Yes
Number of guest networks (2.4 GHz)	1

Number of guest networks (5 GHz)	1
VPN support	PPTP VPN, IPSec VPN , OpenVPN
Mobile network	
Mobile network generation	5G
3G standards	DC-HSDPA, HSPA, HSPA+ , UMTS
4G standard	LTE-TDD & LTE-FDD
5G bands supported	700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz
4G bands supported	700,800,850,900,1500,1800,2100,2300,2500,2600,3500,3700 MHz
3G bands supported	850,900,2100 MHz
SIM card type	NanoSIM
Ports & interfaces	
Ethernet LAN (RJ-45) ports	3
USB port	No
Management features	
Wi-Fi Multimedia (WMM)/(WME)	Yes
Quality of Service (QoS) support	Yes
Reset button	Yes
WPS push button	Yes
MU-MIMO technology	Yes
Security	
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Firewall	Yes
Firewall security	IPv4 SPI Firewall, IPv6 Firewal
Access Control List (ACL)	Yes
DoS attack prevention	Yes
Parental control	Yes
DMZ support	Yes
Protocols	
DHCP client	Yes
DHCP server	Yes
Supported network protocols	IPv4, IPv6
Design	
Product type	Tabletop router
Product colour	White

On/off switch	Yes
Certificates	
Compliance certificates	CE, RoHS
Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	Yes
Quick installation guide	Yes
Antenna	
Antenna design	Internal
Antennas quantity	10
Detachable antenna(s)	Yes
Power	
Power source type	AC
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Output voltage	12 V
Output current	2 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
System requirements	
Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Linux operating systems supported	Yes
Mac operating systems supported	Yes
Weight & dimensions	
Width	99 mm
Depth	99 mm
Height	190 mm
Matmenys ir svoris	
Matmenys (I × P × A)	22,00cm × 23,00cm × 11,00cm

Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederkasseler Lohweg 175, 40547 Düsseldorf,
DE

tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt