

ATEN 2-Port USB VGA KVM Switch

Gamintojas: **ATEN** · Modelis: **CS22U-AT** · EAN: **4710423775978** · Prekės kodas: **650547**



38,90 €

Kaina su PVM

Be PVM: **32,15 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Superior video quality - up to 2048 x 1536; DDC2B
- ✓ Multiplatform support - Windows, Mac, Linux and Sun
- ✓ Computer Selection via a Remote Port Selector
- ✓ Bus-powered design

Aprašymas

The CS22U is a 2-port USB Cable KVM Switch that provides a simple and quick method of selecting computers- a built-in remote port selector. This allows the CS22U unit to be hidden from sight, while the remote port selector can be placed conveniently on the desktop.

1x CS22U 2-Port USB Cable KVM Switch with Remote Port Selector

1x User Instructions

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Netzwerk > Switches [+1398][-565]
Ports & interfaces	
Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	VGA
Console ports	USB A, VGA (D-Sub)
VGA (D-Sub) ports quantity	2

USB hub	Yes
USB 2.0 Type-A hub ports quantity	2
USB connector type	USB Type-A
Performance	
HD type	QXGA
Maximum resolution	2048 x 1536 pixels
DDC2B support	Yes
Design	
Rack mounting	No
Product colour	Black
Housing material	Plastic
LED indicators	Yes
Display	
Built-in display	No
Power	
Power source	DC
Input voltage	5 V
Power consumption (typical)	0.14 W
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 80%
Weight & dimensions	
Width	82.4 mm
Depth	70.1 mm
Height	24.6 mm
Weight	302 g
Packaging data	
Package width	55 mm
Package depth	155 mm
Package height	223 mm
Package weight	400 g
Packaging content	

Quick installation guide Yes

Logistics data

Master (outer) case net weight	6.04 kg
Harmonized System (HS) code	85176200
Master (outer) case width	328 mm
Master (outer) case length	389 mm
Master (outer) case height	330 mm
Master (outer) case gross weight	8.48 kg
Products per master (outer) case	20 pc(s)