

ATEN 2-Port USB - PS/2 VGA KVM Switch (KVM Cables included)

Gamintojas: **ATEN** · Modelis: **CS82U-AT** · EAN: **4710423777002** · Prekės kodas: **650554**



89,90 €

Kaina su PVM

Be PVM: **74,30 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Superior video quality - 2048 x 1536; DDC2B
- ✓ Computer selection via front panel pushbuttons, hotkeys, and mouse
- ✓ Dual Interface - supports computers with PS/2 or USB keyboards and mice
- ✓ Video DynaSync™ - Exclusive ATEN technology eliminates bootup display problems and optimizes resolution when switching between ports



Aprašymas

The CS82U PS/2-USB KVM Switch is a desktop control unit that allows users to access two computers from a single KVM console (PS/2 or USB keyboard and mouse, and VGA monitor). In addition, CS82U comes with ATEN's new Video DynaSync™ technology, which eliminates boot-up display problems and optimizes resolution.

1x CS82U PS/2-USB KVM Switch

2x 2L-5302UP PS/2 USB KVM Cables

1x User Instructions

Techninė specifikacija

Specifications

Sandėlio grupė

Server, Storage & Netzwerk > Switche [+1398][-565]

Ports & interfaces

Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	VGA
Console ports	USB A, VGA (D-Sub)
VGA (D-Sub) ports quantity	2
Console USB ports quantity	2
DC-in jack	Yes

Performance

HD type	QXGA
Maximum resolution	2048 x 1536 pixels
Video bandwidth	60 Hz
Scan interval	3,5,10,20 s
DDC2B support	Yes

Design

Rack mounting	No
Product colour	Light grey
Housing material	Metal
LED indicators	Yes
Push button	Yes
Hot keys	Yes

Display

Built-in display	No
------------------	----

Power

Power source	DC
Input voltage	5 V
Power consumption (typical)	0.72 W

Operational conditions

Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 80%

Weight & dimensions

Width	88 mm
Depth	140 mm
Height	55.5 mm
Weight	869 g

Packaging data

Package width	59 mm
Package depth	239 mm
Package height	175 mm
Package weight	981 g

Packaging content

Quick installation guide	Yes
Manual	Yes

Logistics data

Master (outer) case net weight	8.69 kg
Harmonized System (HS) code	85176200
Master (outer) case width	328 mm
Master (outer) case length	497 mm
Master (outer) case height	196 mm
Master (outer) case gross weight	10.4 kg
Products per master (outer) case	10 pc(s)