

TP-Link DECO BE65-5G(1-PACK) tinklo „Wi-Fi“ sistema Trijų dažnio juostų (2,4 GHz / 5 GHz / 6 GHz) Wi-Fi 7 (802.11be) Balta 3 Išorinis

Gamintojas: **TP-LINK** · Modelis: **DECO BE65-5G(1-PACK)** · EAN: **4895252505160** · Prekės kodas: **650825**



849,90 €

Kaina su PVM

Be PVM: **702,40 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Stiprintuvų tinklo („Mesh“) sistema Balta
- ✓ Antenos tipas: Išorinis
- ✓ Trijų dažnio juostų (2,4 GHz / 5 GHz / 6 GHz) Wi-Fi 7 (802.11be) 9214 Mbit/ai
- ✓ WPA, WPA2-PSK, WPA3
- ✓ PTP protokolai per Eternetą (PPPoE) Dinaminis IP Statinis IP adresai
- ✓ Paslaugos kokybės (QoS) palaikymas
- ✓ DHCP serveris
- ✓ Eterneto WAN



Aprašymas

Cutting-Edge 5G, Ultra-Fast Experience

BE9300 5G WiFi 7 Mesh Router

Supercharged with WiFi 7

WiFi 7 includes the new 6 GHz band, which is exclusive to 6 GHz devices, eliminating interference from legacy devices. The additional 320 MHz channel enable more simultaneous transmissions at the highest possible speeds. 4K-QAM brings 20% higher theoretical transmission rates than 1024-QAM. Also, Multi-RU and MLO make full use of every resource and deliver a more reliable network.

Blazing-Fast WiFi 7 Speeds Up to 9214 Mbps

Wi-Fi 7 unleashes the full potential of 4K-QAM and the 6 GHz band with up to 320 MHz channels, delivering unprecedented Wi-Fi speeds up to 9214 Mbps. The new 6 GHz band provides exceptional bandwidth congestion-free channels. Now you can enjoy full access to 8K streaming and multi-gig downloading.

Lower Latency, Enhanced Capacity

With massive MIMO, optimized OFDM, and more, 5G technologies brings fast responsive network connections to tomorrow's mobile devices, with only 1 ms latency. Enjoy your online streaming, gaming, and AR / VR without congestion.

Plug and Play, Enjoy 5G Network Everywhere

Simple, just one SIM card

Traditional broadband or cable installation is expensive and time-consuming for your vacation home, farm, or suburban warehouse. Long contract periods also create headaches for short-rentals, pop-up venues, and temporary shops to access the internet. Deco BE65-5G ensures a comfortable and no-block network installation. Plug in your SIM card and enjoy high-speed internet!

Ultra-Fast 2.5 Gbps Wired Performance

3× 2.5 Gbps ports maximize home internet speeds with up to 2.5× the wired speed of a typical Gigabit Ethernet port. Connect your favorite wired devices to Deco BE65-5G and begin the smooth game!

The Ultimate Backhaul: Stronger and More Flexible

Through our self-developed technology, Deco BE65-5G can connect a wireless and wired backhaul with each unit simultaneously. What's more, with the latest WiFi 7 MLO technology, the system's wireless and wired combined backhaul aggregation flow rate is increased. This way, it greatly improves overall throughput and reduces latency, delivering broader coverage with more stable and reliable connections.

Smart Security for Smart Living

HomeShield provides a series of built-in services that protect all your devices comprehensively with various features for when you're at home or on the go. With HomeShield, safer internet experiences bring more happiness to your smart living.

VPN Clients and Server Supported

Allow devices in your home network to access remote VPN servers without needing to install VPN software on every device. You can create different VPN connection types, including OpenVPN, PPTP, L2TP/IPSec VPN. Besides, Deco can run both the VPN and ordinary internet connections at the same time, delivering security and flexibility.

Private IoT Network for More Security

Set up a separate WiFi for IoT devices and overlay HomeShield and advanced WPA3 encryption** to better protect the security of your home network and IoT devices.

Seamless AI-Driven Mesh

Uninterrupted Streaming when Moving Between Rooms

Deco Mesh forms a unified network with a single network name. With built-in AI-Roaming technology, it creates the ideal WiFi solution with its advanced algorithms and self-learning. Walk through your home and enjoy seamless streaming at the fastest possible speeds.

Simple. Easy. Yet Powerful.

Setup and manage your network anytime and anywhere on the friendly TP-Link Deco app. In just three easy steps your entire home can be blanketed in strong and reliable WiFi.

Easy Management

Manage your WiFi at home or away on the Deco app. See every connected device, prioritize your own, and set up a guest network.

Voice Control

Use an Amazon Alexa or Google Assistant-enabled device to control Deco BE65-5G with just your voice.

All Decos Work Together

Deco BE65-5G is compatible with every other Deco model to form a Mesh network. Expand Mesh WiFi coverage anytime by adding more Decos.

Techninė specifikacija

Konstrukcija	
Produkto spalva	Balta
Antenos tipas	Išorinis
Gaminio tipas	Stiprintuvų tinklo („Mesh“) sistema
Palaikomų įrenginių skaičius	200
Perdavimo galia	30 dBmW
Atstatymo mygtukas	Taip
Belaidžio interneto funkcijos	
„Wi-Fi“ dažnių juosta	Trijų dažnio juostų (2,4 GHz / 5 GHz / 6 GHz)
„Wi-Fi“ standartas	Wi-Fi 7 (802.11be)
WLAN duomenų perdavimo sparta (maks.)	9214 Mbit/ai
Wi-Fi standartai	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
WLAN duomenų perdavimo sparta (pirmoji juosta)	574 Mbit/ai
WLAN duomenų perdavimo sparta (antroji juosta)	2880 Mbit/ai
WLAN duomenų perdavimo sparta (trečioji juosta)	5760 Mbit/ai
Tinklo standartai	IEEE 802.11k, IEEE 802.11r, IEEE 802.11v

Apsaugos algoritmų palaikymas	WPA, WPA2-PSK, WPA3
Svečių tinklų (2,4 GHz) skaičius	1
PTP protokolas per Ethernetą (PPPoE)	Taip
Dinaminis IP	Taip
Statinis IP adresas	Taip
Svečių prieiga	Taip
Mobilusis ryšys	
Mobiliojo tinklo generavimas	5G
5G standartas	Sub6
SIM kortelės tipas	„NanoSIM“
Savybės	
Virtualus asistentas	Amazon Alexa & Google Assistant
Paslaugos kokybės (QoS) palaikymas	Taip
Firewall apsauga	Y
DHCP serveris	Taip
Parental kontrolė	Taip
Tėvų kontrolės funkcijos	Turinio filtras, SafeSearch, Laiko kontrolė, Youtube restriction
MIMO	Taip
Valdymo režimai	Router, AP
Ryšys	
Ethernet LAN (RJ-45) portų kiekis	3
Eterneto LAN duomenų perdavimo norma	100,1000,2500 Mbit/ai
Eterneto WAN	Taip
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	1
DC įėjimo lizdas	Taip
Energijos valdymas	
AC įėjimo įtampa	100 - 240 V
AC adapterio įėjimo srovė	1 A
AC įėjimo dažnis	50 - 60 Hz
AC adapterio išėjimo įtampa	12 V
AC adapterio išėjimo srovė	3,3 A
Sertifikatai	
Atitikties sertifikatai	CE, RoHS
Aplinkos sąlygos	

Darbo temperatūros diapazonas (TT)	0 - 40 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 60 °C
Darbo santykinės drėgmės diapazonas	10 - 90%
Sandėliavimo santykinis drėgmės diapazonas	5 - 90%
Svoris ir matmenys	
Plotis	128 mm
Ilgis	128 mm
Aukštis	236 mm
Pakuotės turinys	
Produktų skaičius pakuotėje	1 vnt
Kintamosios srovės adapteris	Taip
Eterneto laidas	Taip
Greito diegimo vadovas	Taip
Pakuotės duomenys	
Pakuotės plotis	216,5 mm
Pakuotės gylis	262 mm
Pakuotės aukštis	161,5 mm
Paketo svoris	2,4 kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederkasseler Lohweg 175, 40547 Düsseldorf,
DE

tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt