

TP-Link Deco X10-4G Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Balta 3 Vidinis

Gamintojas: **TP-LINK** · Modelis: **DECO X10-4G(1-PACK)** · EAN: **4895252504248** · Prekės kodas: **650844**



117,90 €

Kaina su PVM

Be PVM: **97,44 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Stiprintuvų tinklo („Mesh“) maršruto parinktuvas Balta
- ✓ Antenos tipas: Vidinis
- ✓ Didžiausias naudojimo paviršius: 190 m²
- ✓ Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) 1500 Mbit/ai
- ✓ WPA3-Personal, WPA-Personal, WPA2-Personal
- ✓ PTP protokolai per Eternetą (PPPoE) Dinaminis IP Statinis IP adresai
- ✓ 4G
- ✓ Portų ekspedijavimas
- ✓ DHCP klientas DHCP serveris
- ✓ Eterneto WAN



Aprašymas

Flexible Internet Access,

WiFi Everywhere

4G+ AX1500 Whole Home Mesh WiFi 6 Gateway

LTE-Advanced Cat 6

Supports 4G+ Cat6 to boost the data speeds of up to 300 Mbps.

Superior Mesh WiFi, Everywhere

Deco units work together to form a unified network with a single network name.

Real-Time Cyber Security Protection

Limit online time and block inappropriate content.

Game-Changer: WiFi 6 Mesh

Broader coverage, more connections, and faster wireless speed.

All-in-one Deco

Armed with a built-in 4G+ modem, WiFi 6, and TP-Link Mesh technology, Deco X10-4G delivers hassle-free 4G internet sharing with a superior whole-home mesh WiFi experience. Plug your SIM card in and enjoy!

4G+ Speed for Consummate Entertainment

The Deco X10-4G gateway supports Cat6 with internet downlink speeds up to 300 Mbps, shared by super-fast WiFi 6 with speeds up to 1.5 Gbps, enabling lag-free online activities such as 4K streaming, cloud-gaming, and video calls. Plug in your SIM card and enjoy high-speed internet.

Fast 4G Connection Where You Need It

Simple, just one SIM card

Traditional broadband or cable installation is expensive and time-consuming for your vacation home, farm, or suburban warehouse. Long contract periods also create headaches for short-rentals, pop-up venues, and temporary shops to access the internet. Deco X10-4G ensures a comfortable and no-block network installation. Plug in your SIM card and enjoy high-speed internet!

AX1500 - Incredible WiFi 6 Mesh

Armed with WiFi 6 technology, Deco whole home mesh WiFi is designed to deliver a huge boost in coverage, speed, and total capacity. Get on the latest mesh WiFi to enjoy the future network that loads faster and connects more.

Gigabit Connectivity, 10x Faster

With 3 Gigabit WAN/LAN ports, speeds can be up to 10x faster than standard Ethernet connections. Connect your favorite wired devices to Deco X10-4G and get impressed!

Cover Every Corner of Your Home

To blanket your entire home with WiFi, Deco X10-4G units work together as a powerful mesh network to boost broader coverage for connections in every corner.

Engineered for

More Devices

Deco products are aimed to dramatically improve capacity and efficiency in traffic-dense environments. No matter how many screens or devices are on at once, everyone is able to enjoy a more efficient network that loads faster without dragging down performance.

Seamless Roaming with One WiFi Name

TP-Link Mesh means Deco units work together to form one unified network. Your phone or tablet automatically connects to the fastest Deco as you move through your home, creating a truly seamless WiFi experience.

Personalize and Control Your Home Network

Content Filtering

Filter content using different age groups and manually block specific apps or websites.

Parental Controls

Manage online time and block inappropriate content to keep families healthy online.

Quality of Service (QoS)

Prioritize your bandwidth needs to get a faster networking experience.

Comprehensive Reports

Gain full statistics and insights to help you know your home network better.

Simple. Easy. Yet Powerful.

Setup and manage your network anytime and anywhere on the friendly TP-Link Deco app. In just three easy steps your entire home can be blanketed in strong and reliable WiFi.

Control Anyway You Want

Easy Management

Manage your WiFi at home or away on the Deco app. See every connected device, prioritize your own, and set up a guest network.

Voice Control

Use an Amazon Alexa or Google Assistant-enabled device to control Deco X10-4G with just your voice.

All Decos Work Together

Deco X10-4G is compatible with every other Deco model to form a Mesh network. Expand Mesh WiFi coverage anytime by adding more Decos.

Techninė specifikacija

Konstrukcija	
Produkto spalva	Balta
Antenos tipas	Vidinis
Gaminio tipas	Stiprintuvų tinklo („Mesh“) maršruto parinktuvas

LED indikatoriai	Taip
Palaikomų įrenginių skaičius	120
Didžiausias naudojimo paviršius	190 m²
Atstatymo mygtukas	Taip
Belaidžio interneto funkcijos	
„Wi-Fi“ dažnių juosta	Dviguba juosta (2,4 GHz / 5 GHz)
„Wi-Fi“ standartas	Wi-Fi 6 (802.11ax)
WLAN duomenų perdavimo sparta (maks.)	1500 Mbit/ai
Wi-Fi standartai	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN duomenų perdavimo sparta (pirmoji juosta)	300 Mbit/ai
WLAN duomenų perdavimo sparta (antroji juosta)	1201 Mbit/ai
Tinklo standartai	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Apsaugos algoritmų palaikymas	WPA3-Personal, WPA-Personal, WPA2-Personal
Svečių tinklų (5 GHz) skaičius	1
Svečių tinklų (2,4 GHz) skaičius	1
PTP protokolai per Ethernetą (PPPoE)	Taip
Dinaminis IP	Taip
Statinis IP adresas	Taip
IGMP tarpinis serveris	Taip
IGMP tinklinio judėjimo sekimas	Taip
Žymėtasis VLAN tinklas	Taip
Dinaminis DNS (DDNS)	Taip
Svečių prieiga	Taip
Palaikomos valdymo programos	TP-Link Deco
Mobilusis ryšys	
Mobiliojo tinklo generavimas	4G
3G standartai	DC-HSPA+, HSDPA, UMTS
4G standartai	TD-LTE & FDD-LTE
SIM kortelės tipas	„NanoSIM“
Savybės	
Naudotojų nukreipimas	Taip
Portų ekspedijavimas	Taip
Spindulio susidarymas	Taip
DHCP klientas	Taip
DHCP serveris	Taip

Parental kontrolė	Taip
Veikia su „Amazon Alexa“	Taip
MU-MIMO technologija	Taip
MIMO	Taip
Ryšys	
Ethernet LAN (RJ-45) portų kiekis	3
Eterneto WAN	Taip
DC įėjimo lizdas	Taip
Energijos valdymas	
AC įėjimo įtampa	100 - 240 V
AC adapterio įėjimo srovė	0,6 A
AC įėjimo dažnis	50 - 60 Hz
AC adapterio išėjimo įtampa	12 V
AC adapterio išėjimo srovė	1,5 A
Sertifikatai	
Sertifikavimas	CE, RoHS
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 40 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 60 °C
Darbo santykinės drėgmės diapazonas	10 - 90%
Sandėliavimo santykinis drėgmės diapazonas	5 - 90%
Svoris ir matmenys	
Plotis	105 mm
Ilgis	105 mm
Aukštis	167 mm
Pakuotės turinys	
Kintamosios srovės adapteris	Taip
Įdėtų vienetų skaičius	1 vnt
Eterneto laidas	Taip
Greito diegimo vadovas	Taip
Matmenys ir svoris	
Matmenys (I × P × A)	13,00cm × 12,00cm × 24,00cm
Svoris	1,01kg

Dokumentai ir vaizdo įrašai

- > Naudojimo instrukcija
- > Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederkasseler Lohweg 175, 40547 Düsseldorf,
DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt