

Zebra DS3678-HD Handheld bar code reader 1D/2D Laser Black, Green

Gamintojas: **ZEBRA** · Modelis: **DS3678-HD3U42A0SFW** · EAN: **8596375045033** · Prekės kodas: **651230**

855,91 €

Kaina su PVM

Be PVM: **707,36 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Handheld bar code reader Black, Green
- ✓ Scanner type: 1D/2D Sensor type: Laser
- ✓ Codabar, Code 11, Code 128, Code 39, Code 93, GS1-128 (UCC/EAN-128), MSI, Plessey, U.P.C. Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
- ✓ Tilt reading angle: -65 - 65°
- ✓ Wired & Wireless Standard interfaces: RS-232, USB, Keyboard wedge
- ✓ Bluetooth Low Energy (BLE)
- ✓ Power source type: Battery Lithium-Ion (Li-Ion) 3100 mAh

Aprašymas

UNSTOPPABLE PERFORMANCE FOR HIGH DENSITY 1D/2D BARCODES

As a member of the Zebra Ultra-Rugged 3600 Series of scanners, the practically indestructible 1D/2D DS3608-HD corded and DS3678-HD cordless scanner is ready for one of the world's toughest environments — the electronics manufacturing production line.

You get the truly unstoppable performance you need to prevent the high cost of unplanned production line downtime. Your workers get first-time every time capture of the many types of small and high-density barcodes printed on the components in the products you make.

And since these scanners also capture standard barcodes in virtually any condition, you get a real value — unstoppable performance in a single flexible device that can meet scanning needs from the assembly line to the warehouse.

SUPERIOR PERFORMANCE

You get the ultimate in scanning performance — period. Your workers can capture virtually any high-density and standard 1D or 2D barcode at lightning speed, regardless of whether it is printed on a paper label or directly on a product component. Even if barcodes are damaged, dirty or

poorly printed, no problem — this intelligent scanner can handle it all.

ULTRA-RUGGED DESIGN

The warehouse and manufacturing plant floor is as tough as its gets. That's why we created a new product category — the ultra-rugged scanner. The corded and cordless models are the only scanners in this class that are dust-tight, sprayproof and waterproofed to IP67, with an IP65-sealed cradle for a complete rugged cordless solution.

UNRIVALED MANAGEABILITY

With our complimentary industry-best tools, managing these scanners couldn't be easier. You can remotely configure and upgrade your scanners, format data properly for instant transmission into your business applications, monitor battery statistics for your cordless models and more.

Techninė specifikacija

Specifications	
Sandėlio grupė	Sonstiges > Barcode Scanner [+994][-201]
Scanning	
Type	Handheld bar code reader
Scanner type	1D/2D
Sensor type	Laser
Linear (1D) barcodes supported	Codabar, Code 11, Code 128, Code 39, Code 93, GS1-128 (UCC/EAN-128), MSI, Plessey, U.P.C.
2D (matrix & stacked) barcodes supported	Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
Wavelength	655 nm
Tilt reading angle	-65 - 65°
Pitch reading angle	-65 - 65°
Yaw reading angle	-45 - 45°
Optical sensor resolution	1280 pixels
Ports & interfaces	
Connectivity technology	Wired & Wireless
Standard interfaces	RS-232, USB, Keyboard wedge
Wireless range	100 m
Bluetooth version	4
Bluetooth Low Energy (BLE)	Yes
Ethernet LAN	Yes
Performance	
Product colour	Black, Green
International Protection (IP) code	IP67
Protection features	Dust resistant, Shock resistant, Water resistant

LED indicators	Yes
Programming function	Yes
Power	
Power source type	Battery
Battery technology	Lithium-Ion (Li-Ion)
Battery capacity	3100 mAh
Number of reads per charge	100000
Weight & dimensions	
Weight	411 g
Width	142 mm
Depth	76 mm
Height	185 mm
Operational conditions	
Operating temperature (T-T)	-20 - 50 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 95%
Technical details	
Compliance certificates	RoHS
Logistics data	
Harmonized System (HS) code	84716070