

# TP-Link Omada ER703WP-4G-Outdoor gateway/controller 10, 100, 1000 Mbit/s

Gamintojas: **TP-LINK** · Modelis: **ER703WP-4G-OUTDOOR** · EAN: **8885020626858** · Prekės kodas: **651718**



## 379,90 €

Kaina su PVM

Be PVM: **313,97 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 4G and Ethernet WAN Auto Backup with Load Balancing
- ✓ Centralized Management
- ✓ IPSec/L2TP/PPTP/OpenVPN/GRE/WireGuard/SSL VPNs
- ✓ IP55 Weatherproofing



## Aprašymas

### All-in-one Device

Combines 4G Internet access, Wi-Fi 6 wireless technology and 3 Gigabit PoE in/out ports all in one device, and automatic back up and load balancing between 4G and wired WAN can be reached. Enjoyed a powerful and versatile gateway with easy deployment.

### Specially Designed Weatherproof Enclosure for Outdoors

Rated as IP55 during Ingress Protection testing, a resilient weatherproof enclosure protects the gateway against harsh outdoor conditions.

### Multiple Power Supply Options

Powered by PoE or DC (compatible with solar panels) to overcome mains access limitations.

### Plug and Play

Insert a Nano SIM card or connect to an Ethernet WAN Port to get gigabit Wi-Fi. Enjoy hassle-free connect to surveillance cameras via cable or wireless.

### Centralized Management

Enables to easy network setup across multiple sites without sending engineer for on-site configuration. Remotely manage via Omada app or web, offering the Essentials version of cloud services for free, reducing maintenance costs for MSP/SI.

### Easy Installation

Easy to mount to a wall or pole with the provided mounting kits. Its compact design allows you to place the gateway flexibly.

## Techninė specifikacija

| Specifications              |                                                            |
|-----------------------------|------------------------------------------------------------|
| Sandėlio grupė              | Server/Storage/Network > WLAN Module/Antennenn [+185][-53] |
| Design                      |                                                            |
| Product colour              | White                                                      |
| Mounting type               | Wall mounting                                              |
| LED indicators              | Status                                                     |
| Features                    |                                                            |
| Antenna type                | External                                                   |
| Antenna gain level (max)    | 4 dBi                                                      |
| Antennas quantity           | 2                                                          |
| Short Message Service (SMS) | Yes                                                        |
| Performance                 |                                                            |
| Control display unit        | No                                                         |
| Internal memory             | 512 MB                                                     |
| Internal memory type        | DDR4                                                       |
| Flash memory                | 256 MB                                                     |
| Protocols                   |                                                            |
| DHCP server                 | Yes                                                        |
| Network                     |                                                            |
| Ethernet LAN data rates     | 10,100,1000 Mbit/s                                         |
| Forwarding rate             | 1453489 Mpps                                               |
| Networking standards        | IEEE 802.3at, IEEE 802.3bt                                 |
| Wi-Fi                       | Yes                                                        |
| Mobile network generation   | 4G                                                         |

|                                   |                       |
|-----------------------------------|-----------------------|
| Data network                      | LTE                   |
| Downlink/uplink speed             | 300/50 Mbit/s         |
| GSM bands supported               | 850,900,1800,2100 MHz |
| Frequency band                    | 2.4/5 GHz             |
| All services ready time           | 3.8 s                 |
| SSL VPN throughput                | 0.0866 Gbit/s         |
| PPTP/L2TP VPN tunnels (max)       | 50                    |
| SSL VPN tunnels (max)             | 50                    |
| <b>Security</b>                   |                       |
| MAC address filtering             | Yes                   |
| Security algorithms               | SSID, WPA2, WPA3      |
| <b>Ports &amp; interfaces</b>     |                       |
| SIM card slot                     | Yes                   |
| SIM card type                     | NanoSIM               |
| DC-in jack                        | Yes                   |
| <b>Management features</b>        |                       |
| Web-based management              | Yes                   |
| <b>Power</b>                      |                       |
| Power consumption (max)           | 16.6 W                |
| Power over Ethernet (PoE)         | Yes                   |
| <b>Weight &amp; dimensions</b>    |                       |
| Width                             | 174 mm                |
| Depth                             | 100.4 mm              |
| Height                            | 38.7 mm               |
| <b>Operational conditions</b>     |                       |
| Operating temperature (T-T)       | -30 - 60 °C           |
| Storage temperature (T-T)         | -40 - 70 °C           |
| Operating relative humidity (H-H) | 5 - 95%               |
| Storage relative humidity (H-H)   | 5 - 90%               |
| <b>Certificates</b>               |                       |
| Certification                     | CE, FCC, RoHS         |