

EnGenius Unmanaged Switch 8-port GbE

Gamintojas: **ENGENIUS** · Modelis: **ES108** · EAN: **4711488350254** · Prekės kodas: **651728**



15,90 €

Kaina su PVM

Be PVM: **13,14 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 8x GE ports for high-speed connections
- ✓ Plug and play and zero maintenance
- ✓ Ruggedized with metal housing design
- ✓ Fanless design with silent operation
- ✓ Energy Efficient Ethernet (IEEE 802.3az) which automatically detects network traffic and adjusts power consumption dynamically
- ✓ Non-blocking switching architecture



Aprašymas

The EnGenius ES108 is an 8-port Gigabit Switch, ideal for SMBs looking to enhance port density. It provides a plug-and-play experience with unmanaged ports, requiring no configuration for straightforward installation. This switch features a robust, fanless design for quiet operation and includes Energy Efficient Ethernet (IEEE 802.3az) that dynamically regulates power based on network traffic. Its non-blocking performance ensures efficient, seamless network connectivity.

Techninė specifikacija

Specifications

Sandėlio grupė

Server, Storage & Netzwerk > Switches [+1398][-565]

Management features

Switch type	Unmanaged
-------------	-----------

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity	8
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)

Network

Networking standards	IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u
10G support	No
Ethernet LAN data rates	100,1000 Mbit/s

Data transmission

Switching capacity	16 Gbit/s
--------------------	-----------

Design

Rack mounting	No
Stackable	No
Product colour	Black
LED indicators	Activity, Link
Wall mountable	Yes

Performance

Fanless	Yes
---------	-----

Power

Power source	AC/DC
Power supply included	No
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Power over Ethernet (PoE)

Power over Ethernet (PoE)	No
---------------------------	----

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	67 mm
Depth	140 mm
Height	26 mm
Weight	227 g

Packaging content

Quick start guide	Yes
-------------------	-----

Packaging data

Package width	150 mm
---------------	--------

Package depth	85 mm
---------------	-------

Package height	65 mm
----------------	-------

Package weight	342 g
----------------	-------

Logistics data

Master (outer) case net weight	17.1 kg
--------------------------------	---------

Master (outer) case width	350 mm
---------------------------	--------

Master (outer) case length	450 mm
----------------------------	--------

Master (outer) case height	330 mm
----------------------------	--------

Master (outer) case gross weight	18 kg
----------------------------------	-------

Products per master (outer) case	50 pc(s)
----------------------------------	----------