

LevelOne 5-Port Gigabit Ethernet Switch

Gamintojas: **LEVELONE** · Modelis: **GSW-0507** · EAN: **4015867225134** · Prekės kodas: **652432**



41,90 €

Kaina su PVM

Be PVM: **34,63 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 5 Gigabit Ethernet ports
- ✓ 1000Mbps full-duplex, 10/100Mbps full/half-duplex, auto-negotiation, auto-MDI/MDIX
- ✓ Supports 8K MAC address auto-learning and auto-aging
- ✓ 9K jumbo frames to increase data transfer rates
- ✓ IEEE 802.3x Flow Control protects against lost packets for reliable data transmission
- ✓ Provides wall or desktop mounting
- ✓ Quick and easy installation
- ✓ Minimize carbon footprint with advanced energy efficient technology (IEEE 802.3az)



Aprašymas

The LevelOne GSW-0507 Gigabit Ethernet Switch is designed for reliable high-performance networking. With its non-blocking switching fabric in full-duplex mode, this switch can deliver up to 2000Mbps per port, while the Store-and-Forward service brings low latency and error-free packet delivery. This highperformance Gigabit Ethernet switch is perfect for fulfilling the demands of online gaming and multimedia streaming. Moreover, this switch also supports IEEE 802.3az Energy Efficient Ethernet which helps reduce power consumption. Power Saving Features The GSW-0507 supports IEEE 802.3az Energy Efficient Ethernet to provide power-saving benefits without compromising performance. One of the ways it does this is by automatically detecting the length of connected cables and can adjust power usage by saving energy on shorter cable connections. Compact and Stylish Design The stylish, compact wall-mountable housing of GSW-0507 fits any working environment. It comes with 5 10/100/1000Mbps ports to meet SOHO and home network expansion needs. Easy to Use The GSW-0507 features plug-and-play for easy installation. No configuration is required. Autonegotiation on each port senses the link speed of a network device and adjusts for compatibility and optimal performance.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Netzwerk > Switche [+1398][-565]
Management features	
Switch type	Unmanaged
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	5
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Installed SFP modules quantity	0
Installed SFP+ modules quantity	0
Gigabit Ethernet (copper) ports quantity	5
Power connector	DC-in jack
Network	
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T
Full duplex	Yes
Flow control support	Yes
Auto MDI/MDI-X	Yes
Auto-negotiation	Yes
Data transmission	
MAC address table	8192 entries
Switching capacity	10 Gbit/s
Store-and-forward	Yes
Jumbo frames support	Yes
Jumbo frames	9000
Packet forwarding rate (1 Gbps)	1488000 pps
Packet forwarding rate (100 Mbps)	148000 pps
Packet forwarding rate (10 Mbps)	14880 pps
Packet buffer memory	1 MB
Design	
Rack mounting	No
Stackable	No
Product colour	Black, Red
LED indicators	Activity, Link, Power

Wall mountable	Yes
Performance	
Flash memory	1024 MB
Power	
Power supply included	No
Input current	1 A
Power consumption (typical)	3 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	No
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 90%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	149.5 mm
Depth	89 mm
Height	27 mm
Weight	135 g
Packaging content	
Quick start guide	Yes
Packaging data	
AC adapter included	Yes
Package type	Box
Package width	92 mm
Package depth	142 mm
Package height	92 mm
Package weight	300 g
Technical details	
Pallet net height	169 cm
Pallet net length	80 cm
Pallet net width	120 cm
Certificates	
Certification	CE, RoHS, FCC

Logistics data

Country of origin	China
Harmonized System (HS) code	85176990