

TP-Link AC1200 Whole Home Mesh WiFi System

Gamintojas: **TP-LINK** · Modelis: **HC220-G5(1-PACK)** · EAN: **4897098684207** · Prekės kodas: **652583**



88,90 €

Kaina su PVM

Be PVM: **73,47 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **Faster Connections:** Speeds up to 1200 Mbps—867 Mbps on 5 GHz and 300 Mbps on 2.4 GHz
- ✓ **Boosted Seamless Coverage:** Achieve seamless whole home coverage with a clearer and stronger WiFi signal
- ✓ **One Unified Network:** Multiple units form a whole-home network that auto-selects the best connection as you move around your home
- ✓ **Enhanced Security:** WPA3 encryption, Multi-SSID, and Parental Controls provide personalized and safer online experience
- ✓ **EasyMesh Compatible:** Provides whole home WiFi coverage with standard mesh technology
- ✓ **Easy Setup:** Set up your mesh WiFi in minutes with the powerful Aginet app
- ✓ **Remote Management:** TAUC cloud management, TR-098, TR-181, TR-111, and TR-143 are supported



Aprašymas

Fast. Stable. Everywhere.

AC1200 Whole Home Mesh WiFi System

Whole Home Coverage

Empowered by EasyMesh technology, HC220-G5 provides a strong WiFi signal in every corner of your home. Wireless connections and optional Ethernet backhaul work together to link each unit, providing even faster network speeds and truly seamless coverage. Want more coverage? Simply

add another HC220-G5 whenever you want.

Seamless Roaming with One Wi-Fi Name

All units work together to form one unified network. Your mobile device will automatically connect to the fastest unit when you move through your home, creating a truly seamless WiFi experience.

2-in-1 Router and Access Point Modes

Flexible and multifunctional, HC220-G5 includes a variety of features to serve as a router or access point. Choose the mode for actual network demands and experience maximum wireless flexibility.

Robust Network Protection

WPA3 Security

Higher password safety and enhanced protection against brute-force attacks

Multi-SSID

Create guest networks for visitors and keep your main network secure

Parental Controls

Block inappropriate content and restrict time spent online

Easy to Set Up and Use

You can set up your device in minutes, whether you prefer the intuitive Aginet app or the powerful web interface. The Aginet app allows you to manage network settings from your smart phone or tablet.

Support TR-069 Remote Management

ISPs can remotely configure and manage the devices via ACS (Auto-Configuration Server). High-level operations are also supported thanks to compatibility with TR-181, TR-111, and TR-143 protocols.

Aginet Solution:

End-to-End Management System for ISPs

Aginet Solutions offer ISPs powerful and flexible platforms to manage multiple devices for connected home, such as dynamic service provisioning, zero-touch firmware upgrading and remote troubleshooting and mesh WiFi diagnostics.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server/Storage/Network > Access Points/Routers [+1151][-307]
Design	
Product colour	White
Antenna type	Internal
Product type	Mesh system
LED indicators	Yes
Transmit power	30 dBmW
Reset button	Yes
Wireless LAN features	

Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max)	1200 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN data transfer rate (first band)	300 Mbit/s
WLAN data transfer rate (second band)	867 Mbit/s
Networking standards	IEEE 802.11k, IEEE 802.11r, IEEE 802.11v
Security algorithms	SSID, WMM, WPA, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3
Point-to-point protocol over Ethernet (PPPoE)	Yes
Dynamic IP	Yes
Static IP	Yes
IGMP snooping	Yes
Apps supported	TP-Link Tether
Mobile network	
Mobile network generation	Not supported
Features	
Built-in processor	Yes
Processor cores	2
Processor frequency	0.88 GHz
Band steering	Yes
Quality of Service (QoS) support	Yes
Port forwarding	Yes
Firewall security	SPI
BeamForming	Yes
Transmitting power (CE)	20 dBm
Transmitting power (FCC)	30 dBm
NAT functionality	IPTV, IGMPV2/3 and IGMP Snooping
DHCP client	Yes
DHCP server	Yes
Mobile operating systems supported	Android, iOS
Parental control	Yes
SSID Broadcast	Yes
Supported WAN type	Dynamic IP/Static IP/PPPoE
MU-MIMO technology	Yes
MIMO	Yes

Operating modes	Router Mode, Access Point Mode
Protocols	
Supported network protocols (IPv6)	IPv4 IPv6
Ports & interfaces	
Ethernet LAN (RJ-45) ports	3
Ethernet WAN	Yes
DC-in jack	Yes
Power	
AC input voltage	12 V
AC adapter input current	1 A
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC)
Certification	CE, FCC
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	100 mm
Depth	100 mm
Height	89.5 mm
Packaging content	
Number of products included	1 pc(s)
AC adapter included	Yes
Number of units included	1 pc(s)
Ethernet cable	Yes