

Techly IDATA DP-KVM2 KVM switch Black

Gamintojas: **TECHLY** · Modelis: **IDATA-DP-KVM2** · EAN: **8051128101928** · Prekės kodas: **652787**



181,90 €

Kaina su PVM

Be PVM: **150,33 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Switch KVM control on two connected dual-head computers from one workstation with two DisplayPort monitors, one USB keyboard and one USB mouse
- ✓ DisplayPort 1.2 compliant
- ✓ Integrated 2 port hub for USB 2.0 peripheral sharing
- ✓ Supports resolutions of up to 3840*2160@30Hz with video link rate up to 21.6Gbps
- ✓ Supports Dolby True HD and DTS HD Master Audio formats
- ✓ Hotkey and push-button switching
- ✓ Housing: metal
- ✓ Color: black



Aprašymas

2x1 DP&USB KVM Switch allows you to share a display, USB keyboard & mouse with audio and microphone between two USB and Dual head DP computers. It comes with two extra USB 2.0 ports with over-current detection and protection for additional device connections. It supports resolutions of up to 3840*2160@30Hz with video link rate up to 21.6Gbps, Dolby True HD and DTS HD Master Audio formats. Also, it features metal housing for better RF shielding and allows user to switch between devices via front push button or hotkey. It is fully compatible with a wide variety of Windows and Mac OS operating systems.

Features

- Switch KVM control on two connected dual-head computers from one workstation with two DisplayPort monitors, one USB keyboard and one USB

mouse

- DisplayPort 1.2 compliant
- Integrated 2 port hub for USB 2.0 peripheral sharing
- Supports resolutions of up to 3840*2160@30Hz with video link rate up to 21.6Gbps
- Supports Dolby True HD and DTS HD Master Audio formats
- Hotkey and push-button switching
- Housing: metal
- Color: black

Technical specifications

- Saves space and equipment cost
- Share an HDTV or display, USB keyboard & mouse with audio and microphone between 2 USB/DP computer and devices*
- Provides an additional USB 2.0 ports with over-current detection and protection
- Switch between devices via front push button or hotkey
- Supports Dolby True HD and DTS HD Master Audio formats
- Metal housing for increased RF shielding
- 1 of the 2 connected devices has to be a computer with a USB connection to enable the switching mechanism

Requirements

- Windows, Mac, Linux computers
- Game consoles, Blu-Ray DVD players and other Consumer Electronics devices

Connections

- Input: 4x DisplayPort, Female
- Input: 2x 4-pin, Type B, USB 2.0 Female
- Output: 2x DisplayPort, Female (Dual head)
- Output: 4-pin, USB 2.0, Type A, Female (for keyboard) x 1
- Output: 4-pin, USB 2.0, Type A, Female (for mouse) x 1
- Output: 4-pin, USB 2.0, Type A, Female x 2
- Output: Microphone jack (to microphone) x 1
- Output: stereo audio jack (to earphone) x 1

Power adapter

- Input: 100 - 240V, 50/60Hz
- Output: 5V DC, 2.0A

Package contents

- 2-Port DisplayPort1.2 Dual-Monitor KVM Switch
- User Manual
- 5V/2A Power Supply

Techninė specifikacija

Specifications

Sandėlio grupė Server, Storage & Netzwerk > Switches [+1398][-565]

Ports & interfaces

Number of computers controlled	2
Keyboard port type	USB

Mouse port type	USB
Video port type	DisplayPort
DisplayPorts quantity	6
DisplayPort version	1.2
USB hub	Yes
USB 2.0 Type-A hub ports quantity	4
USB connector type	USB Type-A
Audio connections	Yes
Number of microphone inputs	1
DC-in jack	Yes
Performance	
HD type	4K Ultra HD
Maximum resolution	3840 x 2160 pixels
Data transfer rate (max)	21.6 Gbit/s
Design	
Rack mounting	No
Product colour	Black
Certification	CE, RoHS
Display	
Built-in display	No
Power	
Input voltage	100 - 240 V
AC input frequency	50-60 Hz
Output voltage	5 V
Output current	2 A
Sustainability	
Compliance certificates	CE, RoHS
Weight & dimensions	
Weight	1.01 kg
Packaging content	
Manual	Yes
AC adapter included	Yes
Logistics data	
Harmonized System (HS) code	85176200

Other features

Audio support

Yes