

Kensington VeriMark IT Fingerprint Key - Windows Hello & Windows Hello for Business

Gamintojas: **KENSINGTON** · Modelis: **K64704EU** · EAN: **5028252603751** · Prekės kodas: **653113**



95,90 €

Kaina su PVM

Be PVM: **79,26 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ideal for enterprise deployment and easily integrated into current IT infrastructure. Users keep their key for secure login to popular services, while IT can easily manage employee access, privileges and passwords.
- ✓ Enables the latest web standards approved by the World Wide Web Consortium (W3C). Authenticates without storing passwords on servers, providing business professionals more security, convenience, privacy and scalability.
- ✓ Combines superior biometric performance and 360° readability with anti-spoofing technology. Exceeds industry standards for false rejection rate (FRR 2%) and false acceptance rate (FAR 0.001%). Fingerprint data is isolated and secured in the sensor, so only an encrypted match is transferred.
- ✓ Durable zinc alloy body with LED accepted/rejected indicator, and flared tail for easy grip.
- ✓ Designed to secure the fingerprint data it collects and can be used to support a company's cybersecurity measures consistent with (but not limited to) such privacy laws and regulations as GDPR, BIPA and CCPA.
- ✓ ARM based processors may have limited functionality
- ✓ *Windows ARM-based computers are currently not supported. Please check back for future updates on compatibility.



Aprašymas

With support for Windows Hello™ and Windows Hello™ for Business, the VeriMark™ IT Fingerprint Key puts business-class security at your fingertips. Now, IT managers can easily manage employee access and permissions, reset passwords and streamline the login process with the latest industry standard for fast and secure log in (and automatic single-sign-on) to Microsoft services on Edge.

Techninė specifikacija

Specifications	
Sandėlio grupė	Smart Home > Smart Home Equipment [+536][-119]
Technical details	
Interface	USB 2.0
Security algorithms	256-bit AES, SHA-256, SSL/TLS
Software	
Windows operating systems supported	Yes
Weight & dimensions	
Width	16 mm
Depth	22.5 mm
Height	9.5 mm
Weight	4 g
Package dimensions (WxDxH)	80 x 130 x 20 mm
Package weight	35 g
Package depth	80 mm
Package width	20 mm
Package height	134 mm
Power	
USB powered	Yes
Power consumption	100 mA
DC input voltage	5 V
Colour	
Product colour	Silver
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	5 - 95%
Certificates	

Certification	FCC, CE, RCM, REACH, WEEE, RoHS, VCCI, BSMI, Windows Hello, WHQL
---------------	--

Logistics data

Country of origin	Taiwan
Products per master (outer) case	5 pc(s)
Master (outer) case gross weight	250 g
Master (outer) case length	140 mm
Master (outer) case width	113 mm
Master (outer) case height	105 mm
Quantity per pack	1 pc(s)
Harmonized System (HS) code	84716070