

Microconnect MC-PCIE-82574L network card Internal Ethernet 1000 Mbit/s

Gamintojas: MICRO CONNECT · Modelis: MC-PCIE-82574L · EAN: 5706998813596 · Prekės kodas: 653655



41,90 €

Kaina su PVM

Be PVM: 34,63 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High-performance, self-configuring 10/100/1000Mbps connection for PCI Express slots
- ✓ Easy installation, maintenance, and advanced management capabilities
- ✓ Low-cost, low-power, compact design
- ✓ Intel® 82574L Gigabit Ethernet Controller
- ✓ Support for most network operating systems
- ✓ Interrupt moderation
- ✓ PCI Express* x1 slot compatible
- ✓ Compatible with Fast Ethernet and Ethernet
- ✓ 10/100/1000 Mbps auto-negotiation



Aprašymas

MicroConnect MC-PCIE-82574L PCI-E Network Card offers the newest technology for maximizing system performance and increasing end-user productivity. Specifically, the Intel Gigabit CT Desktop Adapter uses auto-negotiation to ensure the adapter runs at the highest available network speed (10/100/1000Mbps), and it maintains full bandwidth capacity with the dedicated bandwidth of a PCI-E input/output (I/O) bus to provide connectivity you can count on. Based on the low power Intel 82574L Gigabit Ethernet Controller, this desktop adapter offers optimal performance in a Low-cost, Low-power, Compact profile. Teaming support and an array of other advanced features enable customers to utilize this adapter as an entry level server adapter as well.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Network > Network Adapters [+1948][-605]
Ports & interfaces	
Connectivity technology	Wired
Host interface	PCIe
Interface	Ethernet
Ethernet LAN (RJ-45) ports	1
Network	
Maximum data transfer rate	1000 Mbit/s
Ethernet LAN	Yes
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10 Mbit/s
Design	
Internal	Yes
Component for	PC
Power	
Power consumption (typical)	1.9 W
Operational conditions	
Operating temperature (T-T)	0 - 55 °C
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	0 - 90%
Weight & dimensions	
Weight	10 g
Packaging data	
Drivers included	Yes
Quantity per pack	1 pc(s)
Package width	174 mm
Package depth	130 mm
Package height	34 mm
Package weight	110 g
Packaging content	
Manual	Yes

Logistics data

Harmonized System (HS) code

85176990